

# Package ‘sarima’

August 20, 2021

**Type** Package

**Title** Simulation and Prediction with Seasonal ARIMA Models

**Version** 0.8.5

**Date** 2021-08-20

**Description** Functions, classes and methods for time series modelling with ARIMA and related models. The aim of the package is to provide consistent interface for the user. For example, a single function autocorrelations() computes various kinds of theoretical and sample autocorrelations. This is work in progress, see the documentation and vignettes for the current functionality. Function sarima() fits extended multiplicative seasonal ARIMA models with trends, exogenous variables and arbitrary roots on the unit circle, which can be fixed or estimated.

**URL** <https://github.com/GeoBosh/sarima>  
<https://geobosh.github.io/sarima/>

**BugReports** <https://github.com/GeoBosh/sarima/issues>

**Depends** R (>= 2.10), stats4

**Imports** methods, graphics, stats, utils, PolynomF (>= 1.0-0), Formula, FitAR, ltsa, FitARMA, lagged (>= 0.2.1), Rdpack, KFAS, FKF, Rcpp (>= 0.12.14), numDeriv, dplyr

**Suggests** fGarch, fImport, testthat, covr

**RdMacros** Rdpack

**License** GPL (>= 2)

**LazyLoad** yes

**Collate** RcppExports.R utils.R generics.R filterClasses.R  
modelClasses.R sarima.R autocovariances.R armacalc.R fit.R  
wrapKFAS.R arma\_Q0dotdotstats.R Kalman.R fitTools.R  
periodogram.R predict.Sarima.R zzz.R

**LinkingTo** Rcpp, RcppArmadillo

**RoxygenNote** 7.1.1

**NeedsCompilation** yes

**Author** Georgi N. Boshnakov [aut, cre],  
 Jamie Halliday [aut]

**Maintainer** Georgi N. Boshnakov <georgi.boshnakov@manchester.ac.uk>

**Repository** CRAN

**Date/Publication** 2021-08-20 08:10:02 UTC

## R topics documented:

sarima-package	3
acfGarchTest	5
acflidTest	6
acfMaTest	8
armaccf_xe	9
ArmaModel	11
ArmaModel-class	13
arma_Q0Gardner	14
arma_Q0gnb	15
autocorrelations	17
autocorrelations-methods	19
autocovariances-methods	20
coerce-methods	20
filterCoef	22
filterCoef-methods	24
filterOrder-methods	26
filterPoly-methods	27
filterPolyCoef-methods	28
fun.forecast	29
InterceptSpec-class	31
isStationaryModel	32
modelCenter	33
modelCoef	33
modelCoef-methods	35
modelIntercept	37
modelOrder	37
modelOrder-methods	39
modelPoly-methods	39
modelPolyCoef-methods	40
nSeasons	40
nUnitRoots	41
nvarOfAcfKP	42
nvcovOfAcf	43
partialAutocorrelations-methods	44
periodogram	45
plot-methods	46
prepareSimSarima	47
sarima	48
SarimaModel-class	53

sigmaSq . . . . .	55
sim_sarima . . . . .	56
summary.SarimaModel . . . . .	58
tsdiag.Sarima . . . . .	59
whiteNoiseTest . . . . .	61
xarmaFilter . . . . .	62
<b>Index</b>	<b>66</b>

---

sarima-package	<i>Package sarima</i>	<i>Simulation and Prediction with Seasonal ARIMA Models</i>
----------------	-----------------------	---

---

## Description

Functions, classes and methods for time series modelling with ARIMA and related models. The aim of the package is to provide consistent interface for the user. For example, a single function `autocorrelations()` computes various kinds of theoretical and sample autocorrelations. This is work in progress, see the documentation and vignettes for the current functionality. Function `sarima()` fits extended multiplicative seasonal ARIMA models with trends, exogenous variables and arbitrary roots on the unit circle, which can be fixed or estimated.

## Details

There is a large number of packages for time series modelling. They provide a huge number of functions, often with similar or overlapping functionality and different argument conventions. One of the aims of package **sarima** is to provide consistent interface to some frequently used functionality.

In package **sarima** a consistent naming scheme is used as much as possible. Names of functions start with a lowercase letter and consist of whole words, acronyms or commonly used abbreviations. In multiword names, the second and subsequent words start with capital letters (camelCase). Only the first letter in acronyms is capitalised, e.g. Arma stands for ARMA. Formal (S4) classes follow the same rules but the first letter of the first word is capitalised, as well.

For example, the functions that compute autocorrelations, autocovariances, partial autocorrelations are called `autocorrelations`, `autocovariances`, and `partialAutocorrelations`, respectively. Moreover, they recognise from their argument(s) what exactly is needed. If they are given times series, they compute sample autocorrelations, etc; if they are given model specifications, they compute the corresponding theoretical properties.

This is work in progress, see also the vignette(s).

## Author(s)

Georgi N. Boshnakov [aut, cre], Jamie Halliday [aut]

Maintainer: Georgi N. Boshnakov <georgi.boshnakov@manchester.ac.uk>

## References

- Boshnakov GN (1996). “Bartlett’s formulae—closed forms and recurrent equations.” *Ann. Inst. Statist. Math.*, **48**(1), 49–59. ISSN 0020-3157, doi: [10.1007/BF00049288](https://doi.org/10.1007/BF00049288).
- Brockwell PJ, Davis RA (1991). *Time series: theory and methods*. 2nd ed.. Springer Series in Statistics. Berlin etc.: Springer-Verlag..
- Francq C, Zakoian J (2010). *GARCH models: structure, statistical inference and financial applications*. John Wiley & Sons. ISBN 978-0-470-68391-0.
- Li WK (2004). *Diagnostic checks in time series*. Chapman & Hall/CRC Press.
- McLeod AI, Yu H, Krougly Z (2007). “Algorithms for Linear Time Series Analysis: With R Package.” *Journal of Statistical Software*, **23**(5). <https://www.jstatsoft.org/article/view/v023i05>.

## See Also

[ArmaModel autocorrelations](#)

## Examples

```
## simulate a white noise ts (model from Francq & Zakoian)
n <- 5000
x <- sarima::rgarch1p1(n, alpha = 0.3, beta = 0.55, omega = 1, n.skip = 100)

## acf and pacf
( x.acf <- autocorrelations(x) )
( x.pacf <- partialAutocorrelations(x) )

## portmanteau test for iid, by default gives also ci's for the acf under H0
x.iid <- whiteNoiseTest(x.acf, h0 = "iid", nlags = c(5,10,20), x = x, method = "LiMcLeod")
x.iid

x.iid2 <- whiteNoiseTest(x.acf, h0 = "iid", nlags = c(5,10,20), x = x, method = "LjungBox")
x.iid2

## portmanteau test for garch H0
x.garch <- whiteNoiseTest(x.acf, h0 = "garch", nlags = c(5,10,20), x = x)
x.garch

## plot methods give the CI's under H0
plot(x.acf)

## if the data are given, the CI's under garch H0 are also given.
plot(x.acf, data = x)

## Tests based on partial autocorrelations are also available:
plot(x.pacf)
plot(x.pacf, data = x)

## Models
## AR
( ar2a1 <- ArModel(ar = c(-0.3, -0.7), sigma2 = 1) )
```

```

autocorrelations(ar2a1, maxlag = 6)
partialAutocorrelations(ar2a1, maxlag = 6)
autocovariances(ar2a1, maxlag = 6)
partialVariances(ar2a1, maxlag = 6)

## see examples for ArmaModel()

```

---

acfGarchTest	<i>Test for GARCH white noise</i>
--------------	-----------------------------------

---

### Description

Carry out a test for GARCH white noise

### Usage

```

acfGarchTest(acr, x, nlags, interval = 0.95)

acfWnTest(acr, x, nlags, interval = 0.95, ...)

```

### Arguments

acr	autocorrelations.
x	time series.
nlags	how many lags to use.
interval	If not NULL, compute also confidence intervals with the specified coverage probability.
...	additional arguments for the computation of the variance matrix under the null hypothesis, passed on to <a href="#">nvarOfAcfKP</a> .

### Details

Unlike the autocorrelation IID test, the time series is needed here to estimate the covariance matrix of the autocorrelations under the null hypothesis.

acfGarchTest performs a test for uncorrelatedness of a time series. The null hypothesis is that the time series is GARCH, see Francq and Zakoian (2010).

acfWnTest performs a test for uncorrelatedness of a time series under a weaker null hypothesis. The null hypothesis is that the time series is GARCH-type or from a stochastic volatility model, see Kokoszka and Politis (2011).

See the references for details and precise specification of the hypotheses.

The format of the return value is the same as for [acfIidTest](#).

### Value

a list with components "test" and "ci"

**Author(s)**

Georgi N. Boshnakov

**References**

Francq C, Zakoian J (2010). *GARCH models: structure, statistical inference and financial applications*. John Wiley & Sons. ISBN 978-0-470-68391-0.

Kokoszka PS, Politis DN (2011). “Nonlinearity of ARCH and stochastic volatility models and Bartlett’s formula.” *Probability and Mathematical Statistics*, **31**(1), 47–59.

**See Also**

[whiteNoiseTest](#), [acfIidTest](#)

**Examples**

```
## see also the examples for \code{\link{whiteNoiseTest}}
n <- 5000
x <- sarima:::rgarch1p1(n, alpha = 0.3, beta = 0.55, omega = 1, n.skip = 100)
x.acf <- autocorrelations(x)
x.pacf <- partialAutocorrelations(x)

acfGarchTest(x.acf, x = x, nlags = c(5,10,20))
acfGarchTest(x.pacf, x = x, nlags = c(5,10,20))

# do not compute CI's:
acfGarchTest(x.pacf, x = x, nlags = c(5,10,20), interval = NULL)

## plot methods call acfGarchTest() suitably if 'x' is given:
plot(x.acf, data = x)
plot(x.pacf, data = x)

## use 90% limits:
plot(x.acf, data = x, interval = 0.90)

acfWnTest(x.acf, x = x, nlags = c(5,10,20))
nvarOfAcfKP(x, maxlag = 20)
whiteNoiseTest(x.acf, h0 = "arch-type", x = x, nlags = c(5,10,20))
```

---

acfIidTest

*Carry out IID tests using sample autocorrelations*

---

**Description**

Carry out tests for IID from sample autocorrelations.

**Usage**

```
acflidTest(acf, n, npar = 0, nlags = npar + 1,
           method = c("LiMcLeod", "LjungBox", "BoxPierce"),
           interval = 0.95, expandCI = TRUE, ...)
```

**Arguments**

acf	autocorrelations.
n	length of the corresponding time series.
npar	number of df to subtract.
nlags	number of autocorrelations to use for the portmonteau statistic, can be a vector to request several such statistics.
method	a character string, one of "LiMcLeod", "LjungBox" or "BoxPierce".
interval	a number or NULL.
expandCI	logical flag, if TRUE return a CI for each lag up to max(nlags). Used only if CI's are requested.
...	additional arguments passed on to methods. In particular, some methods have argument x for the time series.

**Details**

Performs one of several tests for IID based on sample autocorrelations. A correction of the degrees of freedom for residuals from fitted models can be specified with argument `npar`. `nlags` specifies the number of autocorrelations to use in the test, it can be a vector to request several tests.

The results of the test are gathered in a matrix with one row for each element of `nlags`. The test statistic is in column "ChiSq", degrees of freedom in "DF" and the p-value in "pvalue". The method is in attribute "method".

If `interval` is not NULL confidence intervals for the autocorrelations are computed, under the null hypothesis of independence. The coverage probability (or probabilities) is speciified by `interval`.

If argument `expandCI` is TRUE, there is one row for each lag, up to max(`nlags`). It is best to use this feature with a single coverage probability.

If `expandCI` to FALSE the confidence intervals are put in a matrix with one row for each coverage probability.

**Value**

a list with components "test" and (if requested) "ci", as described in Details

**Methods**

signature(acf = "ANY") In this method `acf` contains the autocorrelations.

signature(acf = "missing") The autocorrelations are computed from argument `x` (the time series).

signature(acf = "SampleAutocorrelations") This is a convenience method in which argument `n` is taken from `acf` and thus does not need to be specified by the user.

**Author(s)**

Georgi N. Boshnakov

**References**

Li WK (2004). *Diagnostic checks in time series*. Chapman & Hall/CRC Press.

**See Also**

[whiteNoiseTest](#), [acfGarchTest](#), [acfMaTest](#)

**Examples**

```
ts1 <- rnorm(100)

a1 <- drop(acf(ts1)$acf)
acfIidTest(a1, n = 100, nlags = c(5, 10, 20))
acfIidTest(a1, n = 100, nlags = c(5, 10, 20), method = "LjungBox")
acfIidTest(a1, n = 100, nlags = c(5, 10, 20), interval = NULL)
acfIidTest(a1, n = 100, method = "LjungBox", interval = c(0.95, 0.90), expandCI = FALSE)

## acfIidTest() is called behind the scenes by methods for autocorrelation objects
ts1_acrf <- autocorrelations(ts1)
class(ts1_acrf) # "SampleAutocorrelations"
whiteNoiseTest(ts1_acrf, h0 = "iid", nlags = c(5,10,20), method = "LiMcLeod")
plot(ts1_acrf)

## use 10% level of significance in the plot:
plot(ts1_acrf, interval = 0.9)
```

---

acfMaTest

*Autocorrelation test for MA(q)*

---

**Description**

Carry out autocorrelation test for MA(q).

**Usage**

```
acfMaTest(acf, ma, n, nlags, interval = 0.95)
```

**Arguments**

acf	autocorrelations.
ma	a positive integer, the moving average order.
n	length of the corresponding time series.
nlags	number of autocorrelations to use for the portmonteau statistic, can be a vector to request several such statistics.
interval	a number or NULL.



**Details**

acfMaTest performs a test that the time series is MA( $ma$ ), under the classical assumptions of Bartlett's formulas.

When intervals are requested, they are confidence intervals for lags from 1 to  $ma$ . For lags greater than the moving average order,  $ma$ , autocorrelations outside them suggest to reject the null hypothesis that the process is MA( $ma$ ).

**Value**

a list with components "test" and (if requested) "ci"

**Author(s)**

Georgi N. Boshnakov

**See Also**

[whiteNoiseTest](#), [acfIidTest](#) [acfGarchTest](#)

---

 armaccf\_xe

---

*Crosscovariances between an ARMA process and its innovations*


---

**Description**

Compute autocovariances of ARMA models and crosscovariances between an ARMA process and its innovations.

**Usage**

```
armaccf_xe(model, lag.max = 1)
armaacf(model, lag.max, compare)
```

**Arguments**

model	the model, a list with components ar, ma and sigma2 (for the time being, sigmasq is also accepted, if model\$sigma2 is NULL).
lag.max	maximal lag for the result.
compare	if TRUE compute the autocovariances also using tacvfARMA() and return both results for comparison.

## Details

Given a causal ARMA model, `armaccf_xe` computes theoretical crosscovariances  $R_{xe}(0)$ ,  $R_{xe}(1)$ ,  $R_{xe}(\text{lag.max})$ , where  $R_{xe}(k) = E(X_t e_{t-k})$ , between an ARMA process and its innovations. Negative lags are not considered since  $R_{xe}(k) = 0$  for  $k < 0$ . The moving average polynomial may have roots on the unit circle.

This is a simple illustration of the equations I give in my time series courses.

`armaacf` computes ARMA autocovariances. The default method computes the zero lag autocovariance using `armaccf_xe()` and multiplies the autocorrelations obtained from `ARMAacf` (which computes autocorrelations, not autocovariances). If `compare = TRUE` it also uses `tacvfARMA` from package **Itsa** and returns both results in a matrix for comparison. The matrix has columns "native", "tacvfARMA" and "difference", where the last column contains the (zapped) differences between the autocorrelations obtained by the two methods.

The ARMA parameters in argument `model` follow the Brockwell-Davis convention for the signs. Since `tacvfARMA()` uses the Box-Jenkins convention for the signs, the moving average parameters are negated for calls to `tacvfARMA()`.

## Value

for `armaccf_xe`, the crosscovariances for lags 0, ..., `maxlag`.

for `armaacf`, the autocovariances, see `Details`.

## Note

`armaacf` is useful for exploratory computations but `autocovariances` is more convenient and eliminates the need to know function names for particular cases.

## Author(s)

Georgi N. Boshnakov

## References

McLeod AI, Yu H, Krougly Z (2007). "Algorithms for Linear Time Series Analysis: With R Package." *Journal of Statistical Software*, **23**(5). <https://www.jstatsoft.org/article/view/v023i05>.

## Examples

```
## Example 1 from ?Itsa::tacvfARMA
z <- sqrt(sunspot.year)
n <- length(z)
p <- 9
q <- 0
ML <- 5
out <- arima(z, order = c(p, 0, q))

phi <- theta <- numeric(0)
if (p > 0) phi <- coef(out)[1:p]
if (q > 0) theta <- coef(out)[(p+1):(p+q)]
```

```

zm <- coef(out)[p+q+1]
sigma2 <- out$sigma2

armaacf(list(ar = phi, ma = theta, sigma2 = sigma2), lag.max = 20)
## this illustrates that the methods
## based on ARMAacf and tacvARMA are equivalent:
armaacf(list(ar = phi, ma = theta, sigma2 = sigma2), lag.max = 20, compare = TRUE)

## In the original example in ?ltsa::tacvfARMA
## the comparison is with var(z), not with the theoretical variance:
rA <- ltsa::tacvfARMA(phi, - theta, maxLag=n+ML-1, sigma2=sigma2)
rB <- var(z) * ARMAacf(ar=phi, ma=theta, lag.max=n+ML-1)
## so rA and rB are different.
## but the difference is due to the variance:
rB2 <- rA[1] * ARMAacf(ar=phi, ma=theta, lag.max=n+ML-1)
cbind(rA[1:5], rB[1:5], rB2[1:5])

## There is no need to use specific functions,
## autocovariances() is most convenient for routine use:
armalist <- list(ar = phi, ma = theta, sigma2 = sigma2)
autocovariances(armalist, maxlag = 10)

## even better, set up an ARMA model:
mo <- new("ArmaModel", ar = phi, ma = theta, sigma2 = sigma2)
autocovariances(mo, maxlag = 10)

```

---

ArmaModel

*Create ARMA objects*


---

## Description

Create ARMA objects.

## Usage

```

ArmaModel(...)
ArModel(...)
MaModel(...)

```

## Arguments

... the arguments are passed to `new()`. Typical arguments are `ar`, `ma` and `mean`.

## Value

an object representing an ARMA, AR or MA model

## Author(s)

Georgi N. Boshnakov

**See Also**

[ArmaModel](#), [ArModel](#), [MaModel](#)

**Examples**

```
## MA
( ma2a1 <- MaModel(ma = c(0.3, 0.7), sigma2 = 1) )
autocorrelations(ma2a1, maxlag = 6)
partialAutocorrelations(ma2a1, maxlag = 6)
autocovariances(ma2a1, maxlag = 6)
partialVariances(ma2a1, maxlag = 6)

## sigma2 is set to NA if not specified
## but things that don't depend on it are computed:
( ma2a2 <- MaModel(ma = c(0.3, 0.7)) )
autocorrelations(ma2a2, maxlag = 6)
partialAutocorrelations(ma2a2, maxlag = 6)

## AR
( ar2a1 <- ArModel(ar = c(-0.3, -0.7), sigma2 = 1) )
autocorrelations(ar2a1, maxlag = 6)
partialAutocorrelations(ar2a1, maxlag = 6)
autocovariances(ar2a1, maxlag = 6)
partialVariances(ar2a1, maxlag = 6)

## ARMA
( arma2a1 <- ArmaModel(ar = 0.5, ma = c(0.3, 0.7), sigma2 = 1) )
autocorrelations(arma2a1, maxlag = 6)
partialAutocorrelations(arma2a1, maxlag = 6)

## modelCoef() returns a list with components 'ar' and 'ma'
modelCoef(arma2a1)
modelCoef(ma2a1)
modelCoef(ar2a1)

## modelOrder() returns a list with components 'ar' and 'ma'
modelOrder(arma2a1)
modelOrder(ma2a1)
modelOrder(ar2a1)

as(ma2a1, "ArmaModel") # success, as expected
as(ar2a1, "ArModel") # success, as expected
as(ArmaModel(ar = c(-0.3, -0.7)), "ArModel")
## But these fail:
## as(ma2a1, "ArModel") # fails
## as(arma2a1, "ArModel") # fails
## as(arma2a1, "MaModel") # fails
```

---

ArmaModel-class      *Classes ArmaModel, ArModel and MaModel in package sarima*

---

### Description

Classes ArmaModel, ArModel and MaModel in package sarima.

### Objects from the Class

Classes "ArModel" and "MaModel" are subclasses of "ArmaModel" with the corresponding order always zero.

The recommended way to create objects from these classes is with the functions [ArmaModel](#), [ArModel](#) and [MaModel](#). Objects can also be created by calls of the form `new("ArmaModel", ..., ar, ma, mean, check)`. See also [coerce-methods](#) for further ways to create objects from these classes.

### Slots

center: Object of class "numeric" ~~  
 intercept: Object of class "numeric" ~~  
 sigma2: Object of class "numeric" ~~  
 ar: Object of class "BJFilter" ~~  
 ma: Object of class "SPFilter" ~~

### Extends

Class "[ArmaSpec](#)", directly. Class "[VirtualArmaModel](#)", directly. Class "[ArmaFilter](#)", by class "ArmaSpec", distance 2. Class "[VirtualFilterModel](#)", by class "VirtualArmaModel", distance 2. Class "[VirtualStationaryModel](#)", by class "VirtualArmaModel", distance 2. Class "[VirtualArmaFilter](#)", by class "ArmaSpec", distance 3. Class "[VirtualAutocovarianceModel](#)", by class "VirtualArmaModel", distance 3. Class "[VirtualMeanModel](#)", by class "VirtualArmaModel", distance 3. Class "[VirtualMonicFilter](#)", by class "ArmaSpec", distance 4.

### Methods

**modelOrder** signature(object = "ArmaModel", convention = "ArFilter"): ...  
**modelOrder** signature(object = "ArmaModel", convention = "MaFilter"): ...  
**modelOrder** signature(object = "ArmaModel", convention = "missing"): ...  
**modelOrder** signature(object = "SarimaModel", convention = "ArmaModel"): ...  
**sigmaSq** signature(object = "ArmaModel"): ...

### Author(s)

Georgi N. Boshnakov

**See Also**

[ArmaModel](#), [ArModel](#), [MaModel](#), [coerce-methods](#)

**Examples**

```
arma1p1 <- new("ArmaModel", ar = 0.5, ma = 0.9, sigma2 = 1)
autocovariances(arma1p1, maxlag = 10)
autocorrelations(arma1p1, maxlag = 10)
partialAutocorrelations(arma1p1, maxlag = 10)
partialAutocovariances(arma1p1, maxlag = 10)

new("ArmaModel", ar = 0.5, ma = 0.9, intercept = 4)
new("ArmaModel", ar = 0.5, ma = 0.9, center = 1.23)

new("ArModel", ar = 0.5, center = 1.23)
new("MaModel", ma = 0.9, center = 1.23)

# argument 'mean' is an alias for 'center':
new("ArmaModel", ar = 0.5, ma = 0.9, mean = 1.23)

## both center and intercept may be given
## (the mean is not equal to the intercept in this case)
new("ArmaModel", ar = 0.5, ma = 0.9, center = 1.23, intercept = 2)

## Don't use 'mean' together with 'center' and/or 'intercept'.
##   new("ArmaModel", ar = 0.5, ma = 0.9, center = 1.23, mean = 4)
##   new("ArmaModel", ar = 0.5, ma = 0.9, intercept = 2, mean = 4)
## Both give error message:
##   Use argument 'mean' only when 'center' and 'intercept' are missing or zero
```

---

arma\_Q0Gardner

*Computing the initial state covariance matrix of ARMA*

---

**Description**

Wrappers for the internals 'stats' functions used by arima() to compute the initial state covariance matrix of ARMA models.

**Usage**

```
arma_Q0naive(phi, theta, tol = .Machine$double.eps)

arma_Q0gnbR(phi, theta, tol = .Machine$double.eps)
```

**Arguments**

phi	autoregressive coefficients.
theta	moving average coefficients.
tol	tollerance.

**Details**

arima() uses one of two methods to compute the initial state covariance matrix of a stationary ARMA model. Both methods are implemented by internal non-exported C functions. arma\_Q0Gardner() and arma\_Q0bis are simple R wrappers for those functions. They are defined in the tests (**TODO:** put in the examples?) but are not defined in the namespace of the package since they use unexported functions.

arma\_Q0Gardner() implements the original method from Gardner et al (1980). arma\_Q0bis() is a more recent method that deals better with roots very close to the unit circle.

These functions can be useful for comparative testing. They cannot be put in package 'sarima' since they use `:::` operator and are hence inadmissible to CRAN.

**Value**

a matrix

**References**

Gardner G, Harvey AC, Phillips GDA (1980). "Algorithm AS154. An algorithm for exact maximum likelihood estimation of autoregressive-moving average models by means of Kalman filtering." *Applied Statistics*, 311–322.

**Examples**

```
## arma_Q0Gardner(phi, theta, tol = .Machine$double.eps)
## arma_Q0bis(phi, theta, tol = .Machine$double.eps)
```

---

 arma\_Q0gnb

---

*Compute the initial state covariance of ARMA model*


---

**Description**

Compute the initial state covariance of ARMA model

**Usage**

```
arma_Q0gnb(phi, theta, tol = 2.220446e-16)
```

**Arguments**

phi            autoregression parameters.  
 theta         moving average parameters.  
 tol            tolerance. (TODO: explain)

**Details**

Experimental computation of the initial state covariance matrix of ARMA models.

The numerical results are comparable to `SSinit = "Rossignol2011"` method in [arima](#) and related functions. The method seems about twice faster than "Rossignol2011" on the models I tried but I haven't done systematic tests.

See section 'examples' below and, for more tests based on the tests from **stats**, the tests in `test/testthat/test-arma-q0.R`.

**Value**

a matrix

**Author(s)**

Georgi N. Boshnakov

**References**

Gardner G, Harvey AC, Phillips GDA (1980). "Algorithm AS154. An algorithm for exact maximum likelihood estimation of autoregressive-moving average models by means of Kalman filtering." *Applied Statistics*, 311–322.

R bug report PR#14682 (2011-2013) <URL: [https://bugs.r-project.org/bugzilla3/show\\_bug.cgi?id=14682](https://bugs.r-project.org/bugzilla3/show_bug.cgi?id=14682)>.

**See Also**

[makeARIMA](#), [arima](#)

**Examples**

```
Q0a <- arma_Q0gnb(c(0.2, 0.5), c(0.3))
Q0b <- makeARIMA(c(0.2, 0.5), c(0.3), Delta = numeric(0))$Pn
all.equal(Q0a, Q0b) ## TRUE

## see test/testthat/test-arma-q0.R for more;
## these functions cannot be defined in the package due to their use of
## \code{::} on exported base R functions.
##
## "Gardner1980"
arma_Q0Gardner <- function(phi, theta, tol = .Machine$double.eps){
  ## tol is not used here
  .Call(stats:::C_getQ0, phi, theta)
}
## "Rossignol2011"
```



```
arma_Q0bis <- function(phi, theta, tol = .Machine$double.eps){
  .Call(stats:::C_getQ0bis, phi, theta, tol)
}

arma_Q0Gardner(c(0.2, 0.5), c(0.3))
arma_Q0bis(c(0.2, 0.5), c(0.3))
Q0a
Q0b
```

---

autocorrelations      *Compute autocorrelations and related quantities*

---

### Description

Generic functions for computation of autocorrelations, autocovariances and related quantities. The idea is to free the user from the need to look for specific functions that compute the desired property for their object.

### Usage

```
autocovariances(x, maxlag, ...)

autocorrelations(x, maxlag, lag_0, ...)

partialAutocorrelations(x, maxlag, lag_0 = TRUE, ...)

partialAutocovariances(x, maxlag, ...)

partialVariances(x, ...)
```

### Arguments

<code>x</code>	an object for which the requested property makes sense.
<code>maxlag</code>	the maximal lag to include in the result.
<code>lag_0</code>	if TRUE include lag zero.
<code>...</code>	further arguments for methods.

### Details

`autocorrelations` is a generic function for computation of autocorrelations. It deduces the appropriate type of autocorrelation from the class of the object. For example, for models it computes theoretical autocorrelations, while for time series it computes sample autocorrelations.

The other functions described are similar for other second order properties of `x`.

These functions return objects from suitable classes, all inheriting from "Lagged". The latter means that indexing starts from zero, so the value for lag zero is accessed by `r[0]`. Subscripting always returns the underlying data unclassed (i.e. ordinary vectors or arrays). In particular, `"[]"` extracts the underlying data.

Functions computing autocorrelations and partial autocorrelations have argument `lag_0` — if it is set to `FALSE`, the value for lag zero is dropped from the result and the returned object is an ordinary vector or array, as appropriate.

See the individual methods for the format of the result and further details.

### Value

an object from a class suitable for the requested property and `x`

### Author(s)

Georgi N. Boshnakov

### See Also

[armaccf\\_xe](#), [armaacf](#)

### Examples

```
v1 <- rnorm(100)
autocorrelations(v1)
v1.acf <- autocorrelations(v1, maxlag = 10)

v1.acf[1:10] # drop lag zero value (and the class)
autocorrelations(v1, maxlag = 10, lag_0 = FALSE) # same

partialAutocorrelations(v1)
partialAutocorrelations(v1, maxlag = 10)

## compute 2nd order properties from raw data
autocovariances(v1)
autocovariances(v1, maxlag = 10)
partialAutocovariances(v1, maxlag = 6)
partialAutocovariances(v1)
partialVariances(v1, maxlag = 6)
pv1 <- partialVariances(v1)

## compute 2nd order properties from raw data
autocovariances(AirPassengers, maxlag = 6)
autocorrelations(AirPassengers, maxlag = 6)
partialAutocorrelations(AirPassengers, maxlag = 6)
partialAutocovariances(AirPassengers, maxlag = 6)
partialVariances(AirPassengers, maxlag = 6)

acv <- autocovariances(AirPassengers, maxlag = 6)
autocovariances(acv) # no-op
autocovariances(acv, maxlag = 4) # trim the available lags

## compute 2nd order properties from sample autocovariances
acr <- autocorrelations(acv)
acr
partialAutocorrelations(acv)
```

```

partialAutocovariances(acv)
partialVariances(acv)

## compute 2nd order properties from sample autocorrelations
acr
partialAutocorrelations(acr)

## These cannot be computed, since the variance is needed but unknown:
##   autocovariances(acr)
##   partialAutocovariances(acr)
##   partialVariances(acr)

## to treat autocorrelations as autocovariances,
## convert them to autocovariances explicitly:
as(acr, "Autocovariances")
as(acr, "SampleAutocovariances")

partialVariances(as(acr, "Autocovariances"))
partialVariances(as(acr, "SampleAutocovariances"))

```

---

autocorrelations-methods

*Methods for function autocorrelations()*


---

## Description

Methods for function autocorrelations().

## Methods

```

signature(x = "ANY", maxlag = "ANY", lag_0 = "ANY")
signature(x = "ANY", maxlag = "ANY", lag_0 = "missing")
signature(x = "Autocorrelations", maxlag = "ANY", lag_0 = "missing")
signature(x = "Autocorrelations", maxlag = "missing", lag_0 = "missing")
signature(x = "Autocovariances", maxlag = "ANY", lag_0 = "missing")
signature(x = "PartialAutocorrelations", maxlag = "ANY", lag_0 = "missing")
signature(x = "PartialAutocovariances", maxlag = "ANY", lag_0 = "missing")
signature(x = "SamplePartialAutocorrelations", maxlag = "ANY", lag_0 = "missing")
signature(x = "SamplePartialAutocovariances", maxlag = "ANY", lag_0 = "missing")
signature(x = "VirtualArmaModel", maxlag = "ANY", lag_0 = "missing")
signature(x = "VirtualSarimaModel", maxlag = "ANY", lag_0 = "missing")

```

## Author(s)

Georgi N. Boshnakov

**Examples**

```
## see the examples for ?autocorrelations
```

---

autocovariances-methods

*Methods for function autocovariances()*

---

**Description**

Methods for function autocovariances().

**Methods**

```
signature(x = "ANY", maxlag = "ANY")
```

```
signature(x = "Autocovariances", maxlag = "ANY")
```

```
signature(x = "Autocovariances", maxlag = "missing")
```

```
signature(x = "VirtualArmaModel", maxlag = "ANY")
```

```
signature(x = "VirtualAutocovariances", maxlag = "ANY")
```

**Author(s)**

Georgi N. Boshnakov

**See Also**

[autocorrelations](#)

**Examples**

```
## see the examples for ?autocorrelations
```

---

coerce-methods

*setAs methods in package sarima*

---

**Description**

Methods for as() in package sarima.

## Methods

This section shows the methods for converting objects from one class to another, defined via `setAs()`. Use `as(obj, "classname")` to convert object `obj` to class "classname".

`signature(from = "ANY", to = "Autocorrelations")`

`signature(from = "ANY", to = "ComboAutocorrelations")`

`signature(from = "ANY", to = "ComboAutocovariances")`

`signature(from = "ANY", to = "PartialAutocorrelations")`

`signature(from = "ANY", to = "PartialAutocovariances")`

`signature(from = "ANY", to = "PartialVariances")`

`signature(from = "ArmaSpec", to = "list")`

`signature(from = "Autocorrelations", to = "ComboAutocorrelations")`

`signature(from = "Autocorrelations", to = "ComboAutocovariances")`

`signature(from = "Autocovariances", to = "ComboAutocorrelations")`

`signature(from = "Autocovariances", to = "ComboAutocovariances")`

`signature(from = "BJFilter", to = "SPFilter")`

`signature(from = "numeric", to = "BJFilter")` Convert a numeric vector to a BJFilter object. This is a way to state that the coefficients follow the Box-Jenkins convention for the signs, see the examples.

`signature(from = "numeric", to = "SPFilter")` Convert a numeric vector to an SPFilter object. This is a way to state that the coefficients follow the signal processing (SP) convention for the signs, see the examples.

`signature(from = "PartialVariances", to = "Autocorrelations")`

`signature(from = "PartialVariances", to = "Autocovariances")`

`signature(from = "PartialVariances", to = "ComboAutocorrelations")`

`signature(from = "PartialVariances", to = "ComboAutocovariances")`

`signature(from = "SarimaFilter", to = "ArmaFilter")`

`signature(from = "SarimaModel", to = "list")`

`signature(from = "SPFilter", to = "BJFilter")`

`signature(from = "vector", to = "Autocorrelations")`

`signature(from = "vector", to = "Autocovariances")`

`signature(from = "vector", to = "PartialAutocorrelations")`

`signature(from = "vector", to = "PartialAutocovariances")`

`signature(from = "VirtualArmaFilter", to = "list")`

`signature(from = "VirtualSarimaModel", to = "ArmaModel")`

## Author(s)

Georgi N. Boshnakov

**Examples**

```

## the default for ARMA model is BJ for ar and SP for ma:
mo <- new("ArmaModel", ar = 0.9, ma = 0.4, sigma2 = 1)
modelPoly(mo)

## here we declare explicitly that 0.4 uses the SP convention
## (not necessary, the result is the same, but the intention is clear).
mo1 <- new("ArmaModel", ar = 0.9, ma = as(0.4, "SPFilter"), sigma2 = 1)
modelPoly(mo1)
identical(mo, mo1) ## TRUE

## if the sign of theta follows the BJ convention, this can be stated unambiguously.
## This creates the same model:
mo2 <- new("ArmaModel", ar = 0.9, ma = as(-0.4, "BJFilter"), sigma2 = 1)
modelPoly(mo2)
identical(mo, mo2) ## TRUE

## And this gives the intended model whatever the default conventions:
ar3 <- as(0.9, "BJFilter")
ma3 <- as(-0.4, "BJFilter")
mo3 <- new("ArmaModel", ar = ar3, ma = ma3, sigma2 = 1)
modelPoly(mo3)
identical(mo, mo3) ## TRUE

## The coefficients can be extracted in any particular form,
## e.g. to pass them to functions with specific requirements:
modelCoef(mo3) # coefficients of the model with the default (BD) sign convention
modelCoef(mo3, convention = "BD") # same result
modelCoef(mo3, convention = "SP") # signal processing convention

## for ltsa::tacvfARMA() the convention is BJ, so:
co <- modelCoef(mo3, convention = "BJ") # Box-Jenkins convention

ltsa::tacvfARMA(co$ar, co$ma, maxLag = 6, sigma2 = 1)
autocovariances(mo3, maxlag = 6) ## same

```

---

filterCoef

*Coefficients and other basic properties of filters*


---

**Description**

Coefficients and other basic properties of filters.

**Usage**

```
filterCoef(object, convention, ...)
```

```
filterOrder(object, ...)  
filterPoly(object, ...)  
filterPolyCoef(object, lag_0 = TRUE, ...)
```

### Arguments

object	object.
convention	convention for the sign.
lag_0	if FALSE, drop the coefficient of order zero.
...	further arguments for methods.

### Details

Generic functions to extract basic properties of filters: `filterCoef` returns coefficients, `filterOrder` returns the order, `filterPoly`, returns the characteristic polynomial, `filterPolyCoef` gives the coefficients of the characteristic polynomial.

For further details on argument convention see [filterCoef-methods](#).

What exactly is returned depends on the specific filter classes, see the description of the corresponding methods. For the core filters, the values are as can be expected. For "ArmaFilter", the value is a list with components "ar" and "ma" giving the requested property for the corresponding part of the filter. Similarly, for "SarimaFilter" the values are lists, maybe with additional quantities.

### Value

the requested property as described in Details.

### Note

The `filterXXX()` functions are somewhat low level and technical. They should be rarely needed in routine work. The corresponding `modelXXX` are more flexible.

### Author(s)

Georgi N. Boshnakov

### See Also

[modelOrder](#), [modelCoef](#), [modelPoly](#), [modelPolyCoef](#), for the recommended higher level alternatives for models.

[filterOrder-methods](#), [filterCoef-methods](#), [filterPoly-methods](#), [filterPolyCoef-methods](#), for more information on the methods and the arguments.

**Examples**

```

filterPoly(as(c(0.3, 0.5), "BJFilter")) # 1 - 0.3*x - 0.5*x^2
filterPoly(as(c(0.3, 0.5), "SPFilter")) # 1 + 0.3*x + 0.5*x^2

## now two representations of the same filter:
fi1 <- as(c(0.3, 0.5), "BJFilter")
fi2 <- as(c(-0.3, -0.5), "SPFilter")
identical(fi2, fi1) # FALSE, but
## fi1 and fi2 represent the same filter, eg. same ch. polynomials:
filterPoly(fi1)
filterPoly(fi2)
identical(filterPolyCoef(fi2), filterPolyCoef(fi1))

# same as above, using new()
fi1a <- new("BJFilter", coef = c(0.3, 0.5))
identical(fi1a, fi1) # TRUE

fi2a <- new("SPFilter", coef = c(-0.3, -0.5))
identical(fi2a, fi2) # TRUE

## conversion by as() changes the internal representation
## but represents the same filter:
identical(as(fi1, "SPFilter"), fi2) # TRUE

c(filterOrder(fi1), filterOrder(fi2))

## these give the internally stored coefficients:
filterCoef(fi1)
filterCoef(fi2)

## with argument 'convention' the result doesn't depend
## on the internal representation:
co1 <- filterCoef(fi1, convention = "SP")
co2 <- filterCoef(fi2, convention = "SP")
identical(co1, co2) # TRUE

```

---

filterCoef-methods      *Methods for filterCoef()*

---

**Description**

Methods for filterCoef in package **sarima**.

**Methods**

filterCoef() returns the coefficients of object. The format of the result depends on the type of filter, see the descriptions of the individual methods below.

If argument convention is omitted, the sign convention for the coefficients is the one used in the object. convention can be set to "BJ" or "SP" to request, respectively, the Box-Jenkins or the signal processing convention. Also, "-" is equivalent to "BJ" and "+" to "SP".



For ARMA filters, "BJ" and "SP" request the corresponding convention for both parts (AR and MA). A widely used convention, e.g., by base R and (Brockwell and Davis 1991), is "BJ" for the AR part and "SP" for the MA part. It can be requested with `convention = "BD"`. For convenience, "-" is equivalent to "BJ", "++" to "SP", "-+" to "BD". For completeness, "+-" can be used to request "SP" for the AR part and "BJ" for the MA part.

Invalid values of `convention` throw error. In particular, low level filters, such as "BJFilter" don't know if they are AR or MA, so they throw error if `convention` is "BD" or "+-" (but "++" and "-" are ok, since they are unambiguous). Similarly and to avoid subtle errors, the ARMA filters do not accept "+" or "-".

`signature(object = "VirtualMonicFilterSpec", convention = "missing")` returns `object@coef`.

`signature(object = "VirtualBJFilter", convention = "character")` returns the filter coefficients in the requested convention.

`signature(object = "VirtualSPFilter", convention = "character")` returns the filter coefficients in the requested convention.

`signature(object = "BJFilter", convention = "character")` returns the filter coefficients in the requested convention.

`signature(object = "SPFilter", convention = "character")` returns the filter coefficients in the requested convention.

`signature(object = "VirtualArmaFilter", convention = "missing")`

`signature(object = "VirtualArmaFilter", convention = "character")` Conceptually, calls `filterCoef()`, with one argument, on the AR and MA parts of the model. If `convention` is present, converts the result to the specified convention. Returns a list with the following components:

**ar** AR coefficients.

**ma** MA coefficients.

`signature(object = "SarimaFilter", convention = "missing")`

`signature(object = "SarimaFilter", convention = "character")` If `convention` is present, converts the coefficients to the specified convention. AR-like coefficients get the convention for the AR part, Ma-like coefficients get the convention for the MA part. Returns a list with the following components:

**nseasons** number of seasons.

**iorder** integration order, number of (non-seasonal) differences.

**siorder** seasonal integration order, number of seasonal differences.

**ar** ar coefficients.

**ma** ma coefficients.

**sar** seasonal ar coefficients.

**sma** seasonal ma coefficients.

## Author(s)

Georgi N. Boshnakov

**References**

Brockwell PJ, Davis RA (1991). *Time series: theory and methods. 2nd ed.* Springer Series in Statistics. Berlin etc.: Springer-Verlag..

**See Also**

[filterCoef](#) for examples and related functions

**Examples**

```
## see the examples for ?filterCoef
```

---

filterOrder-methods    *Methods for function filterOrder in package **sarima***

---

**Description**

Methods for function filterOrder in package **sarima**.

**Methods**

The following methods ensure that all filters in package **sarima** have a method for filterOrder.

signature(object = "VirtualMonicFilterSpec") Returns object@order.

signature(object = "SarimaFilter") Returns a list with the following components:

**nseasons** number of seasons.

**iorder** integration order, number of (non-seasonal) differences.

**siorder** seasonal integration order, number of seasonal differences.

**ar** autoregression order

**ma** moving average order

**sar** seasonal autoregression order

**sma** seasonal moving average order

signature(object = "VirtualArmaFilter") Returns a list with the following components:

**ar** autoregression order.

**ma** moving average order.

**Author(s)**

Georgi N. Boshnakov

**See Also**

[filterCoef](#) for examples and related functions

**Examples**

```
## see the examples for ?filterCoef
```

---

filterPoly-methods      *Methods for filterPoly in package sarima*

---

## Description

Methods for filterPoly in package **sarima**.

## Methods

The methods for filterPoly take care implicitly for the sign convention used to store the coefficients in the object.

signature(object = "BJFilter") A polynomial whose coefficients are the negated filter coefficients.

signature(object = "SPFilter") A polynomial whose coefficients are as stored in the object.

signature(object = "SarimaFilter") Returns a list with the following components:

**nseasons** number of seasons.

**iorder** integration order, number of (non-seasonal) differences.

**siorder** seasonal integration order, number of seasonal differences.

**arpoly** autoregression polynomial

**mapoly** moving average polynomial

**sarpoly** seasonal autoregression polynomial

**smapoly** seasonal moving average polynomial

**fullarpoly** the polynomial obtained by multiplying out all AR-like terms, including differences.

**fullmapoly** the polynomial obtained by multiplying out all MA terms

**core\_sarpoly** core seasonal autoregression polynomial. It is such that  $\text{sarpoly}(z) = \text{core\_sarpoly}(z^{nseasons})$

**core\_smapoly** core seasonal moving average polynomial. It is such that  $\text{smapoly}(z) = \text{core\_smapoly}(z^{nseasons})$

signature(object = "VirtualArmaFilter") Returns a list with the following components:

**ar** autoregression polynomial.

**ma** moving average polynomial.

signature(object = "VirtualMonicFilterSpec") Calls filterPolyCoef(object) and converts the result to a polynomial. Thus, it is sufficient to have a method for filterPolyCoef().

## Author(s)

Georgi N. Boshnakov

## See Also

[filterCoef](#) for examples and related functions

## Examples

## see the examples for ?filterCoef

---

 filterPolyCoef-methods

*Methods for filterPolyCoef*


---

### Description

Methods for filterPolyCoef in package **sarima**.

### Methods

The filterPolyCoef methods return results with the same structure as the corresponding methods for filterPoly but with polynomials replaced by their coefficients. If lag\_0 is FALSE the order 0 coefficients are dropped.

signature(object = "VirtualBJFilter") Calls filterCoef(object), negates the result and prepends 1 if lag\_0 is TRUE.

signature(object = "VirtualSPFilter") Calls filterCoef(object) and prepends 1 to the result if lag\_0 is TRUE.

signature(object = "VirtualArmaFilter") Returns a list with the following components:

**ar** coefficients of the autoregression polynomial.

**ma** coefficients of the moving average polynomial.

signature(object = "BJFilter") The coefficients of a polynomial whose coefficients are the negated filter coefficients. This is equivalent to the method for "VirtualBJFilter" but somewhat more efficient.

signature(object = "SPFilter") The coefficients of a polynomial whose coefficients are as stored in the object. This is equivalent to the method for "VirtualSPFilter" but somewhat more efficient.

signature(object = "SarimaFilter") Returns a list with the same components as the "SarimaFilter" method for filterPoly, where the polynomials are replaced by their coefficients.

### Author(s)

Georgi N. Boshnakov

### See Also

[filterCoef](#) for examples and related functions

### Examples

```
## see the examples for ?filterCoef
```

---

fun.forecast

*Forecasting functions for seasonal ARIMA models*


---

**Description**

Forecasting functions for seasonal ARIMA models.

**Usage**

```
fun.forecast(past, n = max(2 * length(past), 12), eps = numeric(n), pasteps, ...)
```

**Arguments**

past	past values of the time series, by default zeroes.
n	number of forecasts to compute.
eps	values of the white noise sequence (for simulation of future). Currently not used!
pasteps	past values of the white noise sequence for models with MA terms, 0 by default.
...	specification of the model, passed to new() to create a "SarimaModel" object, see Details.

**Details**

fun.forecast computes predictions from a SARIMA model. The model is specified using the "... " arguments which are passed to new("SarimaModel", ...), see the description of class "SarimaModel" for details.

Argument past, if provided, should contain a least as many values as needed for the prediction equation. It is harmless to provide more values than necessary, even a whole time series.

fun.forecast can be used to illustrate, for example, the inherent difference for prediction of integrated and seasonally integrated models to corresponding models with roots close to the unit circle.

**Value**

the forecasts as an object of class "ts"

**Author(s)**

Georgi N. Boshnakov

**Examples**

```
f1 <- fun.forecast(past = 1, n = 100, ar = c(0.85), center = 5)
plot(f1)
```

```
f2 <- fun.forecast(past = 8, n = 100, ar = c(0.85), center = 5)
plot(f2)
```

```

f3 <- fun.forecast(past = 10, n = 100, ar = c(-0.85), center = 5)
plot(f3)

frw1 <- fun.forecast(past = 1, n = 100, iorder = 1)
plot(frw1)

frw2 <- fun.forecast(past = 3, n = 100, iorder = 1)
plot(frw2)

frwa1 <- fun.forecast(past = c(1, 2), n = 100, ar = c(0.85), iorder = 1)
plot(frwa1)

fi2a <- fun.forecast(past = c(3, 1), n = 100, iorder = 2)
plot(fi2a)

fi2b <- fun.forecast(past = c(1, 3), n = 100, iorder = 2)
plot(fi2b)

fari1p2 <- fun.forecast(past = c(0, 1, 3), ar = c(0.9), n = 20, iorder = 2)
plot(fari1p2)

fsi1 <- fun.forecast(past = rnorm(4), n = 100, siorder = 1, nseasons = 4)
plot(fsi1)

fexa <- fun.forecast(past = rnorm(5), n = 100, ar = c(0.85), siorder = 1,
                    nseasons = 4)
plot(fexa)

fi2a <- fun.forecast(past = rnorm(24, sd = 5), n = 120, siorder = 2,
                    nseasons = 12)
plot(fi2a)

fi1si1a <- fun.forecast(past = rnorm(24, sd = 5), n = 120, iorder = 1,
                       siorder = 1, nseasons = 12)
plot(fi1si1a)

fi1si1a <- fun.forecast(past = AirPassengers[120:144], n = 120, iorder = 1,
                       siorder = 1, nseasons = 12)
plot(fi1si1a)

m1 <- list(iorder = 1, siorder = 1, ma = 0.8, nseasons = 12, sigma2 = 1)
m1
x <- sim_sarima(model = m1, n = 500)
acf(diff(diff(x), lag = 12), lag.max = 96)
pacf(diff(diff(x), lag = 12), lag.max = 96)

m2 <- list(iorder = 1, siorder = 1, ma = 0.8, sma = 0.5, nseasons = 12,
           sigma2 = 1)
m2
x2 <- sim_sarima(model = m2, n = 500)
acf(diff(diff(x2), lag = 12), lag.max = 96)

```

```

pacf(diff(diff(x2), lag = 12), lag.max = 96)
fit2 <- arima(x2, order = c(0, 1, 1),
             seasonal = list(order = c(0, 1, 0), nseasons = 12))
fit2
tsdiag(fit2)
tsdiag(fit2, gof.lag = 96)

x2past <- rnorm(13, sd = 10)
x2 <- sim_sarima(model = m2, n = 500, x = list(init = x2past))
plot(x2)

fun.forecast(ar = 0.5, n = 100)
fun.forecast(ar = 0.5, n = 100, past = 1)
fun.forecast(ma = 0.5, n = 100, past = 1)
fun.forecast(iorder = 1, ma = 0.5, n = 100, past = 1)
fun.forecast(iorder = 1, ma = 0.5, ar = 0.8, n = 100, past = 1)

fun.forecast(m1, n = 100)
fun.forecast(m2, n = 100)
fun.forecast(iorder = 1, ar = 0.8, ma = 0.5, n = 100, past = 1)

```

---

InterceptSpec-class    *Class InterceptSpec*

---

## Description

A helper class from which a number of models inherit intercept, centering and innovations variance.

## Objects from the Class

Objects can be created by calls of the form `new("InterceptSpec", ...)`.

## Slots

**center:** Object of class "numeric", centering parameter, defaults to zero.

**intercept:** Object of class "numeric", intercept parameter, defaults to zero.

**sigma2:** Object of class "numeric", innovations variance, defaults to NA.

## Methods

**sigmaSq** signature(object = "InterceptSpec"): ...

## Author(s)

Georgi N. Boshnakov

## See Also

[ArmaModel](#), [SarimaModel](#)

**Examples**

```
showClass("InterceptSpec")
```

---

isStationaryModel	<i>Check if a model is stationary</i>
-------------------	---------------------------------------

---

**Description**

Check if a model is stationary.

**Usage**

```
isStationaryModel(object)
```

**Arguments**

object            an object

**Details**

This is a generic function. It returns TRUE if object represents a stationary model and FALSE otherwise.

**Value**

TRUE or FALSE

**Methods**

```
signature(object = "SarimaSpec")  
signature(object = "VirtualIntegratedModel")  
signature(object = "VirtualStationaryModel")
```

**Author(s)**

Georgi N. Boshnakov

**See Also**

[nUnitRoots](#)



---

modelCenter	<i>model center</i>
-------------	---------------------

---

**Description**

model center

**Usage**

modelCenter(object)

**Arguments**

object            an object

**Methods**

signature(object = "InterceptSpec")

**Author(s)**

Georgi N. Boshnakov

---

modelCoef	<i>Get the coefficients of models</i>
-----------	---------------------------------------

---

**Description**

Get the coefficients of an object, optionally specifying the expected format.

**Usage**

modelCoef(object, convention, component, ...)

**Arguments**

object	an object.
convention	the convention to use for the return value, a character string or any object from a supported class, see Details.
component	if not missing, specifies a component to extract, see Details.
...	not used, further arguments for methods.

## Details

modelCoef is a generic function for extraction of coefficients of model objects. What 'coefficients' means depends on the class of object but it can be changed with the optional argument `convention`. In effect, modelCoef provides a very flexible and descriptive way of extracting coefficients from models in various forms.

The one-argument form, `modelCoef(object)`, gives the coefficients of object. In effect it defines, for the purposes of modelCoef, the meaning of 'coefficients' for class `class(modelCoef)`.

Argument `convention` can be used to specify what kind of value to return.

If `convention` is not a character string, only its class is used. Conceptually, the value will have the format and meaning of the value that would be returned by a call to `modelCoef(obj)` with `obj` from class `class(convention)`.

If `convention` is a character string, it is typically the name of a class. In this case `modelCoef(object, "someclass")` is equivalent to `modelCoef(object, new("someclass"))`. Note that this is conceptual - argument `convention` can be the name of a virtual class, for example. Also, for some classes of object character values other than names of classes may be supported.

For example, if `obj` is from class "ArmaModel", `modelCoef(obj)` returns a list with components "ar" and "ma", which follow the "BD" convention. So, to get such a list of coefficients from an object from any class capable of representing ARMA models, set `convention = "ArmaModel"` in the call to `modelCoef{}`.

`modelCoef()` will signal an error if `object` is not compatible with `target` (e.g. if it contains unit roots). (see `filterCoef` if you need to expand any multiplicative filters). **TODO: rethink this, it does not reflect current behaviour!**

If there is no class which returns exactly what is needed some additional computation may be necessary. In the above "ArmaModel" example we might need the coefficients in the "BJ" convention, so we would need to change the signs of the MA coefficients to achieve this. Since this is a very common operation, a convenience feature is available. Setting `convention = "BJ"` requests ARMA coefficients with "BJ" convention. For completeness, the the settings "SP" (signal processing) and "BD" (Brockwell-Davis) are also available.

The methods for `modelCoef()` in package "sarima" return a list with components depending on argument "convention", as outlined above.

## Value

a list, with components depending on the target class, as described in Details

## Author(s)

Georgi N. Boshnakov

## See Also

[modelOrder](#), [modelPoly](#), [modelPolyCoef](#)

**Examples**

```

## define a seasonal ARIMA model, it has a number of components
m1 <- new("SarimaModel", iorder = 1, siorder = 1, ma = -0.3, sma = -0.1, nseasons = 12)
m1
## Get the coefficients corresponding to a 'flat' ARMA model,
## obtained by multiplying out AR-like and MA-like terms.
## A simple way is to use modelCoef() with a suitable convention:
modelCoef(m1, "ArmaModel")
modelCoef(m1, "ArmaFilter") ## same

## Here is another model
m1a <- new("SarimaModel", iorder = 1, siorder = 1, ar = 0.6, nseasons = 12)
modelCoef(m1a, "ArmaModel")
modelCoef(m1a, "ArmaFilter") ## same

## if only AR-like terms are allowed in a computation,
## use convention = "ArModel" to state it explicitly.
##
## this works, since m1a contains only AR-like terms:
modelCoef(m1a, "ArModel")
modelCoef(m1a, "ArFilter") ## same
## ... but these would throw errors if evaluated,
## since model m1a contains both AR-like and MA-like terms,
## Not run:
modelCoef(m1, "ArModel")
modelCoef(m1, "ArFilter")
modelCoef(m1, "MaModel")
modelCoef(m1, "MaFilter")

## End(Not run)

```

---

modelCoef-methods

*Methods for generic function modelCoef*


---

**Description**

Methods for generic function modelCoef.

**Methods**

```
signature(object = "Autocorrelations", convention = "ComboAutocorrelations", component = "missing")
```

```
signature(object = "Autocorrelations", convention = "PartialAutocorrelations", component = "missing")
```

```
signature(object = "Autocovariances", convention = "Autocorrelations", component = "missing")
```

```
signature(object = "Autocovariances", convention = "ComboAutocorrelations", component = "missing")
```

```
signature(object = "Autocovariances", convention = "ComboAutocovariances", component = "missing")
signature(object = "Autocovariances", convention = "PartialAutocorrelations", component = "missing")
signature(object = "ComboAutocorrelations", convention = "Autocorrelations", component = "missing")
signature(object = "ComboAutocorrelations", convention = "PartialAutocorrelations", component = "missing")
signature(object = "ComboAutocovariances", convention = "Autocovariances", component = "missing")
signature(object = "ComboAutocovariances", convention = "PartialAutocovariances", component = "missing")
signature(object = "ComboAutocovariances", convention = "PartialVariances", component = "missing")
signature(object = "ComboAutocovariances", convention = "VirtualAutocovariances", component = "missing")
signature(object = "PartialAutocorrelations", convention = "Autocorrelations", component = "missing")

signature(object = "SarimaModel", convention = "ArFilter", component = "missing")
signature(object = "SarimaModel", convention = "ArmaFilter", component = "missing")

signature(object = "SarimaModel", convention = "MaFilter", component = "missing")
signature(object = "SarimaModel", convention = "SarimaFilter", component = "missing")

signature(object = "VirtualAutocovariances", convention = "character", component = "missing")

signature(object = "VirtualAutocovariances", convention = "missing", component = "missing")

signature(object = "VirtualAutocovariances", convention = "VirtualAutocovariances", component = "missing")

signature(object = "SarimaModel", convention = "ArModel", component = "missing")
signature(object = "SarimaModel", convention = "MaModel", component = "missing")
signature(object = "VirtualFilterModel", convention = "BD", component = "missing")
signature(object = "VirtualFilterModel", convention = "BJ", component = "missing")
signature(object = "VirtualFilterModel", convention = "character", component = "missing")

signature(object = "VirtualFilterModel", convention = "missing", component = "missing")

signature(object = "VirtualFilterModel", convention = "SP", component = "missing")
signature(object = "ArmaModel", convention = "ArmaFilter", component = "missing")
signature(object = "VirtualAutocovariances", convention = "Autocovariances", component = "missing")
```

**Author(s)**

Georgi N. Boshnakov

---

modelIntercept	<i>Give the intercept parameter of a model</i>
----------------	--

---

**Description**

Give the intercept parameter of a model.

**Usage**

modelIntercept(object)

**Arguments**

object            an object from a class for which intercept is defined.

**Methods**

signature(object = "InterceptSpec")

**Author(s)**

Georgi N. Boshnakov

---

modelOrder	<i>Get the model order and other properties of models</i>
------------	---

---

**Description**

Get the model order and other properties of models.

**Usage**

modelOrder(object, convention, ...)

modelPoly(object, convention, ...)

modelPolyCoef(object, convention, lag\_0 = TRUE, ...)

**Arguments**

object            a model object.

convention        convention.

lag\_0            if TRUE include lag\_0 coef, otherwise drop it.

...                further arguments for methods.

## Details

These functions return the requested quantity, optionally requesting the returned value to follow a specific convention, see also [modelCoef](#).

When called with one argument, these functions return corresponding property in the native format for the object's class.

Argument convention requests the result in some other format. The mental model is that the returned value is as if the object was first converted to the class specified by `convention` and then the property extracted or computed. Normally, the object is not actually converted to that class. one obvious reason is efficiency but it may also not be possible, for example if `convention` is the name of a virtual class.

For example, the order of a seasonal SARIMA model is specified by several numbers. The call `modelOrder(object)` returns it as a list with components `ar`, `ma`, `sar`, `sma`, `iorder`, `siorder` and `nseasons`. For some computations all that is needed are the overall AR and MA orders obtained by multiplying out the AR-like and MA-like terms in the model. The result would be an ARMA filter and could be requested by `modelOrder(object, "ArmaFilter")`.

The above operation is valid for any ARIMA model, so will always succeed. On the other hand, if further computation would work only if there are no moving average terms in the model one could use `modelOrder(object, "ArFilter")`. Here, if `object` contains MA terms an error will be raised.

The concept is powerful and helps in writing expressive code. In this example a simple check on the returned value would do but even so, such a check may require additional care.

## Author(s)

Georgi N. Boshnakov

## See Also

[modelCoef](#)

## Examples

```
m1 <- new("SarimaModel", iorder = 1, siorder = 1, ma = -0.3, sma = -0.1, nseasons = 12)
modelOrder(m1)
modelOrder(m1, "ArmaFilter")
modelOrder(m1, new("ArmaFilter"))

modelPoly(m1, "ArmaModel")
modelPolyCoef(m1, "ArmaModel")
```

---

modelOrder-methods      *Get the order of a model*

---

**Description**

Get the order of a model.

**Methods**

```
signature(object = "ArmaModel", convention = "ArFilter")
signature(object = "ArmaModel", convention = "MaFilter")
signature(object = "SarimaModel", convention = "ArFilter")
signature(object = "SarimaModel", convention = "ArmaFilter")
signature(object = "SarimaModel", convention = "ArmaModel")
signature(object = "SarimaModel", convention = "ArModel")
signature(object = "SarimaModel", convention = "MaFilter")
signature(object = "SarimaModel", convention = "MaModel")
signature(object = "VirtualFilterModel", convention = "missing")
signature(object = "VirtualFilterModel", convention = "character")
```

**Author(s)**

Georgi N. Boshnakov

---

modelPoly-methods      *Get polynomials associated with SARIMA models*

---

**Description**

Get polynomials associated with SARIMA models.

**Methods**

```
signature(object = "SarimaModel", convention = "ArmaFilter")
signature(object = "VirtualMonicFilter", convention = "missing")
signature(object = "VirtualFilterModel", convention = "character")
```

**Author(s)**

Georgi N. Boshnakov

---

modelPolyCoef-methods *Methods for modelPolyCoef*

---

### Description

Methods for modelPolyCoef, e generic function for getting the coefficients of polynomials associated with SARIMA models.

### Methods

```
signature(object = "SarimaModel", convention = "ArmaFilter")
signature(object = "VirtualMonicFilter", convention = "missing")
signature(object = "VirtualFilterModel", convention = "character")
```

### Author(s)

Georgi N. Boshnakov

---

nSeasons	<i>Number of seasons</i>
----------	--------------------------

---

### Description

Number of seasons.

### Usage

```
nSeasons(object)
```

### Arguments

object            an object for which the notion of number of seasons makes sense.

### Details

This is a generic function.

### Value

an integer number

### Methods

```
signature(object = "SarimaFilter")
signature(object = "VirtualArmaFilter")
```



**Author(s)**

Georgi N. Boshnakov

---

nUnitRoots	<i>Number of unit roots in a model</i>
------------	--

---

**Description**

Gives the number of roots with modulus one in a model.

**Usage**

```
nUnitRoots(object)
```

**Arguments**

object            an object.

**Details**

nUnitRoots() gives the number of roots with modulus one in a model. This number is zero for stationary models, see also isStationaryModel().

**Value**

a non-negative integer number

**Methods**

```
signature(object = "SarimaSpec")
```

```
signature(object = "VirtualStationaryModel")
```

**Author(s)**

Georgi N. Boshnakov

---

nvarOfAcfKP                      *Compute variances of autocorrelations under ARCH-type hypothesis*

---

**Description**

Compute variances of autocorrelations under ARCH-type hypothesis.

**Usage**

```
nvarOfAcfKP(x, maxlag, center = FALSE, acfscale = c("one", "mom"))
```

**Arguments**

x	time series.
maxlag	a positive integer, the maximal lag.
center	logical flag, if FALSE, the default, don't center the time series before squaring, see Details.
acfscale	character string, specifying what factor to use for the autocovariances. "one" stands for $1/n$ , "mom" for $1/(n - k)$ , where $n$ is the length of $x$ and $k$ is lag.

**Details**

nvarOfAcfKP computes estimates of  $n$  times the variances of sample autocorrelations of white noise time series. It implements the result of (Kokoszka and Politis 2011) which holds under weak assumptions. In particular, it can be used to test if the true autocorrelations of a time series are equal to zero in GARCH modelling.

**Value**

a numeric vector

**Author(s)**

Georgi N. Boshnakov

**References**

Kokoszka PS, Politis DN (2011). "Nonlinearity of ARCH and stochastic volatility models and Bartlett's formula." *Probability and Mathematical Statistics*, **31**(1), 47–59.

**See Also**

[whiteNoiseTest](#)

**Examples**

```
## see examples for whiteNoisTest()
```

---

nvcovOfAcf

*Covariances of sample autocorrelations*


---

### Description

Compute covariances of autocorrelations.

### Usage

```
nvcovOfAcf(model, maxlag)
nvcovOfAcfBD(acf, ma, maxlag)
acfOfSquaredArmaModel(model, maxlag)
```

### Arguments

model	a model, see Details.
maxlag	a positive integer number, the maximal lag.
acf	autocorrelations.
ma	a positive integer number, the order of the MA(q) model. The default is the maximal lag available in acf.

### Details

nvcovOfAcf computes the unscaled asymptotic autocovariances of sample autocorrelations of ARMA models, under the classical assumptions when the Bartlett's formulas are valid. It works directly with the parameters of the model and uses Boshnakov (1996). Argument model can be any specification of ARMA models for which autocorrelations() will work, e.g. a list with components "ar", "ma", and "sigma2".

nvcovOfAcfBD computes the same quantities but uses the formula given by Brockwell & Davis (1991) (eq. (7.2.6.), p. 222), which is based on the autocorrelations of the model. Argument acf contains the autocorrelations.

For nvcovOfAcfBD, argument ma asks to treat the provided acf as that of MA(ma). Only the values for lags up to ma are used and the rest are set to zero, since the autocorrelations of MA(ma) models are zero for lags greater than ma. To force the use of all autocorrelations provided in acf, set ma to the maximal lag available in acf or omit ma, since this is its default.

acfOfSquaredArmaModel(model, maxlag) is a convenience function which computes the autocovariances of the "squared" model, see Boshnakov (1996).

### Value

an (maxlag, maxlag)-matrix

**Note**

The name of `nvcovOfAcf` stands for “n times the variance-covariance matrix”, so it needs to be divided by `n` to get the asymptotic variances and covariances.

**Author(s)**

Georgi N. Boshnakov

**References**

- Boshnakov GN (1996). “Bartlett’s formulae—closed forms and recurrent equations.” *Ann. Inst. Statist. Math.*, **48**(1), 49–59. ISSN 0020-3157, doi: [10.1007/BF00049288](https://doi.org/10.1007/BF00049288).
- Brockwell PJ, Davis RA (1991). *Time series: theory and methods*. 2nd ed.. Springer Series in Statistics. Berlin etc.: Springer-Verlag..

**See Also**

[whiteNoiseTest](#)

**Examples**

```
## MA(2)
ma2 <- list(ma = c(0.8, 0.1), sigma2 = 1)
nv <- nvcovOfAcf(ma2, maxlag = 4)
d <- diag(nvcovOfAcf(ma2, maxlag = 7))
cbind(ma2 = 1.96 * sqrt(d) / sqrt(200), iid = 1.96/sqrt(200))

acr <- autocorrelations(list(ma = c(0.8, 0.1)), maxlag = 7)
nvBD <- nvcovOfAcfBD(acr, 2, maxlag = 4)
all.equal(nv, nvBD) # TRUE
```

---

partialAutocorrelations-methods

*Methods for function partialAutocorrelations*

---

**Description**

Methods for function `partialAutocorrelations`.

**Methods**

```
signature(x = "ANY", maxlag = "ANY", lag_0 = "ANY")
signature(x = "mts", maxlag = "ANY", lag_0 = "missing")
signature(x = "PartialAutocovariances", maxlag = "ANY", lag_0 = "missing")
signature(x = "ts", maxlag = "ANY", lag_0 = "missing")
```

**Author(s)**

Georgi N. Boshnakov

---

periodogram	<i>Obtain the most important period lags of a time series according to a periodogram.</i>
-------------	---

---

**Description**

Obtain the most important period lags of a time series according to a periodogram.

**Usage**

```
periodogram(x, ..., no.results = 20)
```

**Arguments**

x	A vector containing the time series values
...	Arguments to be passed to spectrum
no.results	The number of results to be printed at the end. Defaults to the 20 most important frequencies.

**Details**

Using the spectral function, obtain spectral density estimates at a number of frequencies and rather than plotting, obtain the rank and period of the values. Return a given number of results based on the level of interest of the user.

**Value**

A data.frame containing the following columns:

rank	numeric vector containing the ranked importance of the frequency.
spectrum	estimates of the spectral density at frequencies corresponding to freq.
frequency	vector at which the spectral density is estimated.
period	vector of corresponding periods.

**Description**

Plot methods in package sarima.

**Methods**

```
signature(x = "SampleAutocorrelations", y = "matrix")
signature(x = "SampleAutocorrelations", y = "missing")
signature(x = "SamplePartialAutocorrelations", y = "missing")
```

**Author(s)**

Georgi N. Boshnakov

**Examples**

```
n <- 5000
x <- sarima:::rgarch1p1(n, alpha = 0.3, beta = 0.55, omega = 1, n.skip = 100)
x.acf <- autocorrelations(x)
x.acf
x.pacf <- partialAutocorrelations(x)
x.pacf

plot(x.acf)
plot(x.acf, data = x)

plot(x.pacf)
plot(x.pacf, data = x)

plot(x.acf, data = x, main = "Autocorrelation test")
plot(x.pacf, data = x, main = "Partial autocorrelation test")

plot(x.acf, ylim = c(NA,1))
plot(x.acf, ylim.fac = 1.5)
plot(x.acf, data = x, ylim.fac = 1.5)
plot(x.acf, data = x, ylim = c(NA, 1))
```

---

```
prepareSimSarima      Prepare SARIMA simulations
```

---

### Description

Prepare SARIMA simulations.

### Usage

```
prepareSimSarima(model, x = NULL, eps = NULL, n, n.start = NA,
                 xintercept = NULL, rand.gen = rnorm)
```

```
## S3 method for class 'simSarimaFun'
print(x, ...)
```

### Arguments

model	an object from a suitable class or a list, see Details.
x	initial/before values of the time series, a list, a numeric vector or time series, see Details.
eps	initial/before values of the innovations, a list or a numeric vector, see Details.
n	number of observations to generate, if missing an attempt is made to infer it from x and eps.
n.start	number of burn-in observations.
xintercept	non-constant intercept which may represent trend or covariate effects.
rand.gen	random number generator, defaults to N(0,1).
...	ignored.

### Details

prepareSimSarima does the preparatory work for simulation from a Sarima model, given the specifications and returns a function, which can be called as many times as needed.

The variance of the innovations is specified by the model and the simulated innovations are multiplied by the corresponding standard deviation. So, it is expected that the random number generator simulates from a standardised distribution.

Argument model can be from any class representing models in the SARIMA family, such as "Sari-maModel", or a list with components suitable to be passed to =new()= for such models.

The canonical form of argument x u is a list with components "before", "init" and "main". If any of these components is missing or NULL, it is filled suitably. Any other components are ignored. If x is not a list, it is put in component "main". Conceptually, the three components are concatenated in the given order, the simulated values are put in "main" ("before" and "init" are not changed), the "before" part is dropped and rest is returned. In effect, "before" and "init" can be viewed as initial values but "init" is considered part of the generated series.

The format for `eps` is the same as that of `x`. The lengths of missing components in `x` are inferred from the corresponding components of `eps`, and vice versa.

`print.simSarimaFun` is a print method for the objects generated by `prepareSimSarima`.

### Value

for `prepareSimSarima`, a function to simulate time series, see Details. it is typically called multiple times without arguments. All arguments have defaults set by `prepareSimSarima`.

<code>n</code>	length of the simulated time series,
<code>rand.gen</code>	random number generator,
<code>...</code>	arguments for the random number generator, passed on to <code>arima.sim</code> .

### Author(s)

Georgi N. Boshnakov

### See Also

[sim\\_sarima](#)

### Examples

```
mo1 <- list(ar = 0.9, iorder = 1, siorder = 1, nseasons = 4, sigma2 = 2)
fs1 <- prepareSimSarima(mo1, x = list(before = rep(0,6)), n = 100)
tmp1 <- fs1()
tmp1
plot(ts(tmp1))

fs2 <- prepareSimSarima(mo1, x = list(before = rep(1,6)), n = 100)
tmp2 <- fs2()
plot(ts(tmp2))

mo3 <- mo1
mo3[["ar"]] <- 0.5
fs3 <- prepareSimSarima(mo3, x = list(before = rep(0,6)), n = 100)
tmp3 <- fs3()
plot(ts(tmp3))
```

---

sarima

*Fit extended SARIMA models*

---

### Description

Fit extended SARIMA models, which can include lagged exogeneous variables, general unit root non-stationary factors, multiple periodicities, and multiplicative terms in the SARIMA specification. The models are specified with a flexible formula syntax and contain as special cases many models with specialised names, such as ARMAX and reg-ARIMA.



**Usage**

```
sarima(model, data = NULL, ss.method = "sarima", use.symmetry = FALSE,
       SSinit = "Rossignol2011")
```

**Arguments**

model	a model formula specifying the model.
data	a list or data frame, usually can be omitted.
ss.method	state space engine to use, defaults to "sarima". ( <b>Note:</b> this argument will probably be renamed.)
use.symmetry	a logical argument indicating whether symmetry should be used to estimate the unit polynomial.
SSinit	method to use for computation of the stationary part of the initial covariance matrix, one of "Rossignol2011", "gnb", "Gardner1980".

**Details**

sarima fits extended SARIMA models, which can include exogeneous variables, general unit root non-stationary factors and multiplicative terms in the SARIMA specification.

Let  $\{Y_t\}$  be a time series and  $f(t)$  and  $g(t)$  be functions of time and/or (possibly lagged) exogeneous variables.

An extended pure SARIMA model for  $Y_t$  can be written with the help of the backward shift operator as

$$U(B)\Phi(B)Y_t = \Theta(B)\varepsilon_t,$$

where  $\{\varepsilon_t\}$  is white noise, and  $U(z)$ ,  $\Phi(z)$ , and  $\Theta(z)$  are polynomials, such that all roots of  $U(z)$  are on the unit circle, while the roots of  $\Phi(z)$  and  $\Theta(z)$  are outside the unit circle. If unit roots are missing, ie  $U(z) \equiv 1$ , the model is stationary with mean zero.

A reg-SARIMA or X-SARIMA model can be defined as a regression with SARIMA residuals:

$$Y_t = f(t) + Y_t^c$$

$$U(B)\Phi(B)Y_t^c = \Theta(B)\varepsilon_t,$$

where  $Y_t^c = Y_t - f(t)$  is the centred  $Y_t$ . This can be written equivalently as a single equation:

$$U(B)\Phi(B)(Y_t - f(t)) = \Theta(B)\varepsilon_t.$$

The regression function  $f(t)$  can depend on time and/or (possibly lagged) exogeneous variables. We call it centering function. If  $Y_t^c$  is stationary with mean zero,  $f(t)$  is the mean of  $Y_t$ . If  $f(t)$  is constant, say  $\mu$ ,  $Y_t$  is stationary with mean  $\mu$ . Note that the two-equation form above shows that in that case  $\mu$  is the intercept in the first equation, so it is perfectly reasonable to refer to it also as intercept but to avoid confusion we reserve the term **intercept** for  $g(t)$  below.

If the SARIMA part is stationary, then  $EY_t = f(t)$ , so  $f(t)$  can be interpreted as trend. In this case the above specification is often referred to as **mean corrected form** of the model.

An alternative way to specify the regression part is to add the regression function, say  $\{g(t)\}$ , to the right-hand side of the SARIMA equation:

$$U(B)\Phi(B)Y_t = g(t) + \Theta(B)\varepsilon_t.$$

In the stationary case this is the classical ARMAX specification. This can be written in two-stage form in various ways, eg

$$U(B)\Phi(B)Y_t = (1 - \Theta(B))\varepsilon_t + u_t,$$

$$u_t = g(t) + \varepsilon_t.$$

So, in a sense,  $g(t)$  is a trend associated with the residuals from the SARIMA modelling. We refer to this form as intercept form of the model (as opposed to the mean-corrected form discussed previously).

In general, if there are no exogenous variables the mean-corrected model is equivalent to some intercept model, which gives some justification of the terminology, as well. If there are exogenous variables equivalence may be achievable but at the expense of introducing more lags in the model, which is not desirable in general.

Some examples of equivalence. Let  $Y$  be a stationary SARIMA process ( $U(z) = 1$ ) with mean  $\mu$ . Then the mean-corrected form of the SARIMA model is

$$\Phi(B)(Y_t - \mu) = \Theta(B)\varepsilon_t,$$

while the intercept form is

$$\Phi(B)Y_t = c + \Theta(B)\varepsilon_t,$$

where  $c = \Phi(B)\mu$ . So, in this case the mean-corrected model X-SARIMA model with  $f(t) = \mu$  is equivalent to the intercept model with  $g(t) = \Phi(B)\mu$ .

As another example, with  $f(t) = bt$ , the mean-corrected model is  $(1 - B)(Y_t - bt) = \varepsilon_t$ . Expanding the left-hand side we obtain the intercept form  $(1 - B)Y_t = b + \varepsilon_t$ , which demonstrates that  $Y_t$  is a random walk with drift  $g(t) = b$ .

### Model specification

Argument model specifies the model with a syntax similar to other model fitting functions in R. A formula can be given for each of the components discussed above as  $y \sim f \mid \text{SARIMA} \mid g$ , where  $f$ , SARIMA and  $g$  are model formulas giving the specifications for the centering function  $f$ , the SARIMA specification, and the intercept function  $g$ . In normal use only one of  $f$  or  $g$  will be different from zero.  $f$  should always be given (use  $\emptyset$  to specify that it is identical to zero), but  $g$  can be omitted altogether. Sometimes we refer to the terms specified by  $f$  and  $g$  by  $xreg$  and  $regx$ , respectively.

### Model formulas for trends and exogenous regressions

The formulas for the centering and intercept (ie  $f$  and  $g$ ) use the same syntax as in linear models with some additional functions for trigonometric trends, polynomial trends and lagged variables.

Here are the available specialised terms:

- .p(d)** Orthogonal polynomials over  $1 : \text{length}(y)$  of degree  $d$  (starting from degree 1, no constant).
- t** Stands for  $1 : \text{length}(y)$ . Note that powers need to be protected by  $I()$ , e.g.  $y \sim 1 + .t + I(.t^2)$ .
- .cs(s, k)** cos/sin pair for the  $k$ -th harmonic of  $2\pi/s$ . Use vector  $k$  to specify several harmonics.
- .B(x, lags)** Include lagged terms of  $x$ ,  $B^{\text{lags}}(x[t]) = x[t - \text{lags}]$ .  $\text{lags}$  can be a vector. If  $x$  is a matrix, the specified lags are taken from each column.

### Model formulas for SARIMA models

A flexible syntax is provided for the specification of the SARIMA part of the model. It is formed using a number of primitives for stationary and unit root components, which have non-seasonal

and seasonal variants. Arbitrary number of multiplicative factors and multiple seasonalities can be specified.

The SARIMA part of the model can contain any of the following terms. They can be repeated as needed. The first argument for all seasonal operators is the number of seasons.

**ar(p)** autoregression term of order p

**ma(q)** moving average term of order q

**sar(s,p)** seasonal autoregression term (s seasons, order p)

**sma(s,q)** seasonal moving average term (s seasons, order q)

**i(d)**  $(1 - B)^d$

**s(seas)** summation operator,  $(1 + B + \dots + B^{seas-1})$

**u(x)** quadratic unit root term, corresponding to a complex pair on the unit circle. If  $x$  is real, it specifies the argument of one of the roots as a fraction of  $2\pi$ . If  $z$  is complex, it is the root itself.

The real roots of modulus one (1 and  $-1$ ) should be specified using `i(1)` and `s(2)`, which correspond to  $1 - B$  and  $1 + B$ , respectively.

**su(s, h)** quadratic unit root terms corresponding to seasonal differencing factors. `h` specifies the desired harmonic which should be one of 1,2, ...,  $[s/2]$ . Several harmonics can be specified by setting `h` to a vector.

**ss(s, p)** seasonal summation operator,  $(1 + B^s + \dots + B^{(s-1)p})$

Terms with parameters can contain additional arguments specifying initial values, fixed parameters, and transforms. For `ar`, `ma`, `sar`, `sma`, values of the coefficients can be specified by an unnamed argument after the parameters given in the descriptions above. In estimation these values will be taken as initial values for optimisation. By default, all coefficients are taken to be non-fixed.

Argument `fixed` can be used to fix some of them. If it is a logical vector it should be of length one or have the same length as the coefficients. If `fixed` is of length one and `TRUE`, all coefficients are fixed. If `FALSE`, all are non-fixed. Otherwise, the `TRUE/FALSE` values in `fixed` determine the fixedness of the corresponding coefficients.

`fixed` can also be a vector of positive integer numbers specifying the indices of fixed coefficients, the rest are non-fixed.

Sometimes it may be easier to declare more (e.g. all) coefficients as fixed and then ‘unfix’ selectively. Argument `nonfixed` can be used to mark some coefficients as non-fixed after they have been declared fixed. Its syntax is the same as for `fixed`.

TODO: streamline "atanh.tr"

TODO: describe `SSinit`

## Value

an object from S3 class `Sarima`

(**Note:** the format of the object is still under development and may change; use accessor functions, such as `coef()`, where provided.)

**Note**

Currently the implementation of the intercept form (ie the third part of the model formula) is incomplete.

**Author(s)**

Georgi N. Boshnakov

**See Also**

[arima](#)

**Examples**

```
## AirPassengers example
## fit the classic airline model using arima()
ap.arima <- arima(log(AirPassengers), order = c(0,1,1), seasonal = c(0,1,1))

## same model using two equivalent ways to specify it
ap.baseA <- sarima(log(AirPassengers) ~
  0 | ma(1, c(-0.3)) + sma(12,1, c(-0.1)) + i(1) + si(12,1),
  ss.method = "base")
ap.baseB <- sarima(log(AirPassengers) ~
  0 | ma(1, c(-0.3)) + sma(12,1, c(-0.1)) + i(2) + s(12),
  ss.method = "base")

ap.baseA
summary(ap.baseA)
ap.baseB
summary(ap.baseB)

## as above, but drop 1-B from the model:
ap2.arima <- arima(log(AirPassengers), order = c(0,0,1), seasonal = c(0,1,1))
ap2.baseA <- sarima(log(AirPassengers) ~
  0 | ma(1, c(-0.3)) + sma(12,1, c(-0.1)) + si(12,1),
  ss.method = "base")
ap2.baseB <- sarima(log(AirPassengers) ~
  0 | ma(1, c(-0.3)) + sma(12,1, c(-0.1)) + i(1) + s(12),
  ss.method = "base")

## for illustration, here the non-stationary part is
## (1-B)^2(1+B+...+B^5) = (1-B)(1-B^6)
## ( compare to (1-B)(1-B^{12}) = (1-B)(1-B^6)(1+B^6) )
ap3.base <- sarima(log(AirPassengers) ~
  0 | ma(1, c(-0.3)) + sma(12,1, c(-0.1)) + i(2) + s(6),
  ss.method = "base")

## further unit roots, equivalent specifications for the airline model
tmp.su <- sarima(log(AirPassengers) ~
  0 | ma(1, c(-0.3)) + sma(12,1, c(-0.1)) + i(2) + s(2) + su(12,1:5),
  ss.method = "base")
tmp.su$interna$delta_poly
```

```

prod(tmp.su$interna$delta_poly)
zapsmall(coef(prod(tmp.su$interna$delta_poly)))
tmp.su

tmp.u <- sarima(log(AirPassengers) ~
               0 | ma(1, c(-0.3)) + sma(12,1, c(-0.1)) + i(2) + s(2) + u((1:5)/12),
               ss.method = "base")
tmp.u

```

---

SarimaModel-class      *Class SarimaModel in package sarima*

---

## Description

Class SarimaModel in package sarima.

## Objects from the Class

Objects can be created by calls of the form `new("SarimaModel", ..., ar, ma, sar, sma)`.

Class SarimaModel represents standard SARIMA models. It has provision for centering and/or intercept (in normal use at most one of these is needed). Their default values are zeroes.

Note however that the default for the variance of the innovations (slot "sigma2") is NA. The rationale for this choice is that for some calculations the innovations' variance is not needed and, more importantly, it is far too easy to forget to include it in the model (at least for the author), which may lead silently to wrong results if the "natural" default value of one is used.

## Slots

**center:** Object of class "numeric", a number, if not zero the ARIMA equation is for  $X(t)$  - center.

**intercept:** Object of class "numeric", a number, the intercept in the ARIMA equation.

**sigma2:** Object of class "numeric", a positive number, the innovations variance.

**nseasons:** Object of class "numeric", a positive integer, the number of seasons. For non-seasonal models this is NA.

**iorder:** Object of class "numeric", non-negative integer, the integration order.

**siorder:** Object of class "numeric", non-negative integer, the seasonal integration order.

**ar:** Object of class "BJFilter", the non-seasonal AR part of the model.

**ma:** Object of class "SPFilter", the non-seasonal MA part of the model.

**sar:** Object of class "BJFilter", the seasonal AR part of the model.

**sma:** Object of class "SPFilter", the seasonal MA part of the model.

## Extends

Class "[VirtualFilterModel](#)", directly. Class "[SarimaSpec](#)", directly. Class "[SarimaFilter](#)", by class "SarimaSpec", distance 2. Class "[VirtualSarimaFilter](#)", by class "SarimaSpec", distance 3. Class "[VirtualCascadeFilter](#)", by class "SarimaSpec", distance 4. Class "[VirtualMonicFilter](#)", by class "SarimaSpec", distance 5.

## Methods

SARIMA models contain as special cases a number of models. The one-argument method of `modelCoef` is essentially a definition of model coefficients for SARIMA models. The two-argument methods request the model coefficients according to the convention of the class of the second argument. The second argument may also be a character string naming the target class.

Essentially, the methods for `modelCoef` are a generalisation of `=as()=` methods and can be interpreted as such (to an extent, the result is not necessarily from the target class, not least because the target class may be virtual).

**modelCoef** signature(`object = "SarimaModel"`, `convention = "missing"`): Converts object to "SarimaFilter".

**modelCoef** signature(`object = "SarimaModel"`, `convention = "SarimaFilter"`): Converts object to "SarimaFilter", equivalent to the one-argument call `modelCoef(object)`.

**modelCoef** signature(`object = "SarimaModel"`, `convention = "ArFilter"`): Convert object to "ArFilter". An error is raised if object has non-trivial moving average part.

**modelCoef** signature(`object = "SarimaModel"`, `convention = "MaFilter"`): Convert object to "MaFilter". An error is raised if object has non-trivial autoregressive part.

**modelCoef** signature(`object = "SarimaModel"`, `convention = "ArmaFilter"`): Convert object to "ArmaFilter". This operation always succeeds.

**modelCoef** signature(`object = "SarimaModel"`, `convention = "character"`): The second argument gives the name of the target class. This is conceptually equivalent to `modelCoef(object, new(convention))`.

`modelOrder` gives the order of the model according to the conventions of the target class. An error is raised if object is not compatible with the target class.

**modelOrder** signature(`object = "SarimaModel"`, `convention = "ArFilter"`): ...

**modelOrder** signature(`object = "SarimaModel"`, `convention = "ArmaFilter"`): ...

**modelOrder** signature(`object = "SarimaModel"`, `convention = "ArmaModel"`): ...

**modelOrder** signature(`object = "SarimaModel"`, `convention = "ArModel"`): ...

**modelOrder** signature(`object = "SarimaModel"`, `convention = "MaFilter"`): ...

**modelOrder** signature(`object = "SarimaModel"`, `convention = "MaModel"`): ...

**modelOrder** signature(`object = "SarimaModel"`, `convention = "missing"`): ...

The polynomials associated with object can be obtained with the following methods. Note that target "ArmaFilter" gives the fully expanded products of the AR and MA polynomials, as needed, e.g., for filtering.

**modelPoly** signature(`object = "SarimaModel"`, `convention = "ArmaFilter"`): ' Gives the fully expanded polynomials as a list

**modelPoly** signature(`object = "SarimaModel"`, `convention = "missing"`): Gives the polynomials associated with the model as a list.

**modelPolyCoef** signature(`object = "SarimaModel"`, `convention = "ArmaFilter"`): Give the coefficients of the fully expanded polynomials as a list.

**modelPolyCoef** signature(`object = "SarimaModel"`, `convention = "missing"`): Gives the coefficients of the polynomials associated with the model as a list.

**Author(s)**

Georgi N. Boshnakov

**See Also**[ArmaModel](#)**Examples**

```
showClass("SarimaModel")

sm0 <- new("SarimaModel", nseasons = 12)

sm1 <- new("SarimaModel", nseasons = 12, intercept = 3)
## alternatively, pass a model and modify with named arguments
sm1b <- new("SarimaModel", sm0, intercept = 3)
identical(sm1, sm1b) # TRUE

## Note: in the above models var. of innovations is NA

sm2 <- new("SarimaModel", ar = 0.9, nseasons = 12, intercept = 3, sigma2 = 1)
sm2b <- new("SarimaModel", sm1, ar = 0.9, sigma2 = 1)
sm2c <- new("SarimaModel", sm0, ar = 0.9, intercept = 3, sigma2 = 1)
identical(sm2, sm2b) # TRUE
identical(sm2, sm2c) # TRUE

sm3 <- new("SarimaModel", ar = 0.9, sar = 0.8, nseasons = 12, intercept = 3,
          sigma2 = 1)
sm3b <- new("SarimaModel", sm2, sar = 0.8)
identical(sm3, sm3b) # TRUE

new("SarimaModel", ar = 0.9)
```

---

sigmaSq

*Get the innovation variance of models*

---

**Description**

Get the innovation variance of models.

**Usage**

```
sigmaSq(object)
```

**Arguments**

object            an object from a suitable class.

**Details**

sigmaSq() gives the innovation variance of objects from classes for which it makes sense, such as ARMA models.

The value depends on the class of the object, e.g. for ARMA models it is a scalar in the univariate case and a matrix in the multivariate one.

**Methods**

```
signature(object = "InterceptSpec")
```

**Author(s)**

Georgi N. Boshnakov

---

sim\_sarima

*Simulate trajectories of seasonal arima models*

---

**Description**

Simulate trajectories of seasonal arima models.

**Usage**

```
sim_sarima(model, n = NA, rand.gen = rnorm, n.start = NA, x, eps,
           xcenter = NULL, xintercept = NULL, ...)
```

**Arguments**

model	specification of the model, a list, see ‘Details’.
rand.gen	random number generator for the innovations.
n	length of the time series.
n.start	number of burn-in observations.
x	initial/before values of the time series, a list, a numeric vector or time series, see Details.
eps	initial/before values of the innovations, a list or a numeric vector, see Details.
xintercept	non-constant intercept which may represent trend or covariate effects.
xcenter	currently ignored.
...	additional arguments for arima.sim and rand.gen, see ‘Details’.



## Details

The model is specified by the argument "model" which is a list with elements suitable to be passed to `new("SarimaModel", ...)`, see the description of class "SarimaModel". Here are some of the possible components:

**nseasons** number of seasons in a year (or whatever is the larger time unit)

**iorder** order of differencing, specifies the factor  $(1 - B)^{d1}$  for the model.

**siorder** order of seasonal differencing, specifies the factor  $(1 - B^{period})^{ds}$  for the model.

**ar** ar parameters (non-seasonal)

**ma** ma parameters (non-seasonal)

**sar** seasonal ar parameters

**sma** seasonal ma parameters

Additional arguments for `rand.gen` may be specified via the "..." argument. In particular, the length of the generated series is specified with argument `n`. Arguments for `rand.gen` can also be passed via the "..." argument.

`sim_sarima` calls internally `arima.sim` to simulate the ARMA part of the model. Then undifferences the result to obtain the end result.

The function returns the simulated time series from the requested model.

Information about the model is printed on the screen if `info = "print"`. To suppress this, set `info` to any other value.

For multiple simulations with the same (or almost the same) setup, it is better to execute `prepareSimSarima` once and call the function returned by it as many times as needed.

## Value

an object of class "ts"

## Author(s)

Georgi N. Boshnakov

## Examples

```
require("PolynomF") # guaranteed to be available since package "sarima" imports it.

x <- sim_sarima(n=144, model = list(ma=0.8))           # MA(1)
x <- sim_sarima(n=144, model = list(ar=0.8))         # AR(1)

x <- sim_sarima(n=144, model = list(ar=c(rep(0,11),0.8))) # SAR(1), 12 seasons
x <- sim_sarima(n=144, model = list(ma=c(rep(0,11),0.8))) # SMA(1)

# more enlightened SAR(1) and SMA(1)
x <- sim_sarima(n=144,model=list(sar=0.8, nseasons=12, sigma2 = 1)) # SAR(1), 12 seasons
x <- sim_sarima(n=144,model=list(sma=0.8, nseasons=12, sigma2 = 1)) # SMA(1)

x <- sim_sarima(n=144, model = list(iorder=1, sigma2 = 1)) # (1-B)X_t = e_t (random walk)
```

```

acf(x)
acf(diff(x))

x <- sim_sarima(n=144, model = list(iorder=2, sigma2 = 1)) # (1-B)^2 X_t = e_t
x <- sim_sarima(n=144, model = list(siorder=1,
                                   nseasons=12, sigma2 = 1)) # (1-B)^{12} X_t = e_t

x <- sim_sarima(n=144, model = list(iorder=1, siorder=1,
                                   nseasons=12, sigma2 = 1))
x <- sim_sarima(n=144, model = list(ma=0.4, iorder=1, siorder=1,
                                   nseasons=12, sigma2 = 1))
x <- sim_sarima(n=144, model = list(ma=0.4, sma=0.7, iorder=1, siorder=1,
                                   nseasons=12, sigma2 = 1))

x <- sim_sarima(n=144, model = list(ar=c(1.2,-0.8), ma=0.4,
                                   sar=0.3, sma=0.7, iorder=1, siorder=1,
                                   nseasons=12, sigma2 = 1))

x <- sim_sarima(n=144, model = list(iorder=1, siorder=1,
                                   nseasons=12, sigma2 = 1),
               x = list(init=AirPassengers[1:13]))

p <- polynom(c(1,-1.2,0.8))
solve(p)
abs(solve(p))

sim_sarima(n=144, model = list(ar=c(1.2,-0.8), ma=0.4, sar=0.3, sma=0.7,
                              iorder=1, siorder=1, nseasons=12))

x <- sim_sarima(n=144, model=list(ma=0.4, iorder=1, siorder=1, nseasons=12))
acf(x, lag.max=48)
x <- sim_sarima(n=144, model=list(sma=0.4, iorder=1, siorder=1, nseasons=12))
acf(x, lag.max=48)
x <- sim_sarima(n=144, model=list(sma=0.4, iorder=0, siorder=0, nseasons=12))
acf(x, lag.max=48)
x <- sim_sarima(n=144, model=list(sar=0.4, iorder=0, siorder=0, nseasons=12))
acf(x, lag.max=48)
x <- sim_sarima(n=144, model=list(sar=-0.4, iorder=0, siorder=0, nseasons=12))
acf(x, lag.max=48)

x <- sim_sarima(n=144, model=list(ar=c(1.2, -0.8), ma=0.4, sar=0.3, sma=0.7,
                              iorder=1, siorder=1, nseasons=12))
## use xintercept to include arbitrary trend/covariates
sim_sarima(n = 144, model = list(sma = 0.4, ma = 0.4, sar = 0.8, ar = 0.5,
                              nseasons = 12, sigma2 = 1), xintercept = 1:144)

```

---

summary.SarimaModel    *Methods for summary in package sarima*

---

## Description

Methods for summary in package sarima.

**Usage**

```
## S3 method for class 'SarimaModel'
summary(object, ...)
## S3 method for class 'SarimaFilter'
summary(object, ...)
## S3 method for class 'SarimaSpec'
summary(object, ...)
```

**Arguments**

object            an object from the corresponding class.  
 ...              further arguments for methods.

**Author(s)**

Georgi N. Boshnakov

---

 tsdiag.Sarima

*Diagnostic Plots for fitted seasonal ARIMA models*


---

**Description**

Produce diagnostics for fitted seasonal ARIMA models. The method offers several portmanteau tests (including Ljung-Box, Li-McLeod and Box-Pierce), plots of autocorrelations and partial autocorrelations of the residuals, ability to control which graphs are produced (including interactively), as well as their layout.

**Usage**

```
## S3 method for class 'Sarima'
tsdiag(object, gof.lag = NULL, ask = FALSE, ..., plot = 1:3, layout = NULL)
```

**Arguments**

object            fitted (seasonal) ARIMA model, currently the output of `sarima` or `stats::arima`.  
 gof.lag          maximal lag for portmanteau tests.  
 ask              if TRUE present a menu of available plots, see Details.  
 ...              not used.  
 plot             if TRUE all available plots; a vector of positive integers specifies a subset of the available plots.  
 layout          a list with arguments for `graphics::layout` for the plots. The default is as for the ARIMA method of `stats::tsdiag`.

## Details

Compute and graph diagnostics for seasonal ARIMA models. For objects of class "Sarima" (produced by `sarima`) just call the generic, `tsdiag`. The method can be called also directly on the output from base R's `arima()` with `tsdiag.Sarima()` or `sarima::tsdiag.Sarima()`.

The method offers several portmanteau tests (including Ljung-Box, Li-McLeod and Box-Pierce), plots of autocorrelations and partial autocorrelations of the residuals, ability to control which graphs are produced (including interactively), as well as their layout.

`plot` can be TRUE to ask for all plots or a vector of positive integers specifying which plots to consider. Currently the following options are available:

- 1 residuals
- 2 acf of residuals
- 3 p values for Ljung-Box statistic
- 4 p values for Li-McLeod statistic
- 5 p values for Box-Pierce statistic
- 6 pacf of residuals

The default is `plot = 1:3`. If `plot` is TRUE, you probably need also `ask = TRUE`.

The method always makes a correction of the degrees of freedom of the portmanteau tests. The default graph is similar to `stats::tsdiag` (but with adjusted d.f.).

Argument `layout` can be used to change the layout of the plot, for example to put two graphs per plot. Currently it should be a list of arguments for `layout`. don't call `layout` yourself, as that will change the graphics device prematurely.

The computed results are returned (invisibly).

## Value

a list with components:

<code>residuals</code>	residuals
<code>LjungBox</code>	Ljung box test
<code>LiMcLeod</code>	LiMcLeod test
<code>BoxPierce</code>	BoxPierce test

Only components that are actually computed are included, the rest are NULL or absent.

## Author(s)

Georgi N. boshnakov

## See Also

[tsdiag](#)

**Examples**

```

ap.baseA <- sarima(log(AirPassengers) ~
  0 | ma(1, c(-0.3)) + sma(12,1, c(-0.1)) + i(1) + si(12,1),
  ss.method = "base")
tsdiag(ap.baseA)

## apply the method on objects from arima()
ap.arima <- arima(log(AirPassengers), order = c(0,1,1), seasonal = c(0,1,1))
tsdiag.Sarima(ap.arima)
## use Li-McLeod test instead of Ljung-Box
tsdiag.Sarima(ap.arima, plot = c(1:2,4))
## call R's tsdiag method, for comparison:
tsdiag(ap.arima, plot = c(1:2,4))

```

---

whiteNoiseTest	<i>White noise tests</i>
----------------	--------------------------

---

**Description**

White noise tests.

**Usage**

```
whiteNoiseTest(object, h0, ...)
```

**Arguments**

object	an object, such as sample autocorrelations or partial autocorrelations.
h0	the null hypothesis, currently "iid" or "garch".
...	additional arguments passed on to methods.

**Details**

whiteNoiseTest carries out tests for white noise. The null hypothesis is identified by argument `h0`, based on which whiteNoiseTest chooses a suitable function to call. The functions implementing the tests are also available to be called directly and their documentation should be consulted for further arguments that are available.

If `h0 = "iid"`, the test statistics and rejection regions can be use to test if the underlying time series is iid. Argument `method` specifies the method for portmanteau tests: one of "LiMcLeod" (default), "LjungBox", "BoxPierce".

If `h0 = "garch"`, the null hypothesis is that the time series is GARCH, see Francq & Zakoian (2010). The tests in this case are based on a non-parametric estimate of the asymptotic covariance matrix.

Portmanteau statistics and p-values are computed for the lags specified by argument `nlags`. If it is missing, suitable lags are chosen automatically.

If argument `interval` is TRUE, confidence intervals for the individual autocorrelations or partial autocorrelations are computed.

**Value**

a list with component test and, if ci=TRUE, component ci.

**Note**

Further methods will be added in the future.

**Author(s)**

Georgi N. Boshnakov

**References**

Francq C, Zakoian J (2010). *GARCH models: structure, statistical inference and financial applications*. John Wiley & Sons. ISBN 978-0-470-68391-0.

Li WK (2004). *Diagnostic checks in time series*. Chapman & Hall/CRC Press.

**See Also**

[acfGarchTest](#) (h0 = "garch"), [acfIidTest](#) (h0 = "iid");  
[acfMaTest](#)

**Examples**

```
n <- 5000
x <- sarima::rgarch1p1(n, alpha = 0.3, beta = 0.55, omega = 1, n.skip = 100)
x.acf <- autocorrelations(x)
x.pacf <- partialAutocorrelations(x)

x.iid <- whiteNoiseTest(x.acf, h0 = "iid", nlags = c(5,10,20), x = x, method = "LiMcLeod")
x.iid

x.iid2 <- whiteNoiseTest(x.acf, h0 = "iid", nlags = c(5,10,20), x = x, method = "LjungBox")
x.iid2

x.garch <- whiteNoiseTest(x.acf, h0 = "garch", nlags = c(5,10,20), x = x)
x.garch
```

---

xarmaFilter

*Applies an extended ARMA filter to a time series*


---

**Description**

Filter time series with an extended arma filter. If whiten is FALSE (default) the function applies the given ARMA filter to eps (eps is often white noise). If whiten is TRUE the function applies the “inverse filter” to  $x$ , effectively computing residuals.

**Usage**

```
xarmaFilter(model, x = NULL, eps = NULL, from = NULL, whiten = FALSE,
            xcenter = NULL, xintercept = NULL)
```

**Arguments**

x	the time series to be filtered, a vector.
eps	residuals, a vector or NULL.
model	the model parameters, a list with components "ar", "ma", "center" and "intercept", see Details.
from	the index from which to start filtering.
whiten	if TRUE use x as input and apply the inverse filter to produce eps ("whiten" x), if FALSE use eps as input and generate x ("colour" eps).
xcenter	a vector of means of the same length as the time series, see Details.
xintercept	a vector of intercepts having the length of the series, see Details.

**Details**

The model is specified by argument `model`, which is a list with the following components:

`ar` the autoregression parameters,  
`ma` the moving average parameters,  
`center` center by this value,  
`intercept` intercept.

`model$center` and `model$intercept` are scalars and usually at most one of them is nonzero. They can be considered part of the model specification. In contrast, arguments `xcenter` and `xintercept` are vectors of the same length as `x`. They can represent contributions from covariate variables. Usually at most one of `xcenter` and `xintercept` is used.

The description below uses  $\mu_t$  and  $c_t$  for the contributions by `model$center` plus `xcenter` and `model$intercept` plus `xintercept`, respectively. The time series  $\{x_t\}$  and  $\{\varepsilon_t\}$  are represented by `x` and `eps` in the R code. Let

$$y_t = x_t - \mu_t$$

be the centered series. where the centering term  $\mu_t$  is essentially the sum of `center` and `xcenter` and is not necessarily the mean. The equation relating the centered series,  $y_t = x_t - \mu_t$ , and `eps` is the following:

$$y_t = c_t + \sum_{i=1}^p \phi(i)y_{t-i} + \sum_{i=1}^q \theta(i)\varepsilon_{t-i} + \varepsilon_t$$

where  $c_t$  is the intercept (basically the sum of `intercept` with `xintercept`).

If `whiten = FALSE`,  $y_t$  is computed for  $t=\text{from}, \dots, n$  using the above formula, i.e. the filter is applied to get `y` from `eps` (and some initial values). If `eps` is white noise, it can be said that `y` is obtained by "colouring" the white noise `eps`. This can be used, for example, to simulate ARIMA time series. Finally, the centering term is added back,  $x_t = y_t + \mu_t$  for  $t=\text{from}, \dots, n$ , and the modified `x` is returned. The first `from - 1` elements of `x` are left unchanged.

The inverse filter is obtained by rewriting the above equation as an equation expressing  $\varepsilon_t$  in terms of the remaining quantities:

$$\varepsilon_t = -c_t - \sum_{i=1}^q \theta(i)\varepsilon_{t-i} - \sum_{i=1}^p \phi(i)y_{t-i} + y_t$$

If `whiten = TRUE`, `armaFilter` uses this formula for  $t = \text{from}, \dots, n$  to compute `eps` from `y` (and some initial values). If `eps` is white noise, then it can be said that the time series `y` has been whitened.

In both cases the first few values in `x` and/or `eps` are used as initial values.

The centering is formed from `model$center` and argument `xcenter`. If `model$center` is supplied it is recycled to the length of the series, `x`, and subtracted from `x`. If argument `xcenter` is supplied, it is subtracted from `x`. If both `model$center` and `xcenter` are supplied their sum is subtracted from `x`.

`armaFilter` can be used to simulate ARMA series with the default value of `whiten = FALSE`. In this case `eps` is the input series and `y` the output: Then `model$center` and/or `xcenter` are added to `y` to form the output vector `x`.

Residuals corresponding to a series `x` can be obtained by setting `whiten = TRUE`. In this case `x` is the input series. The elements of the output vector `eps` are calculated by the formula for  $\varepsilon_t$  given above. There is no need in this case to restore `x` since `eps` is returned.

In both cases any necessary initial values are assumed to be already in the vectors and provide the first `from - 1` values in the returned vectors. Argument `from` should not be smaller than the default value  $\max(p, q) + 1$ .

`armaFilter` calls the lower level function `coreXarmaFilter` to do the computation.

## Value

the result of applying the filter or its inverse, as described in Details: if `whiten = FALSE`, the modified `x`; if `whiten = TRUE`, the modified `eps`.

## Author(s)

Georgi N. Boshnakov

## Examples

```
## define a seasonal ARIMA model
m1 <- new("SarimaModel", iorder = 1, siorder = 1, ma = -0.3, sma = -0.1, nseasons = 12)

model0 <- modelCoef(m1, "ArmaModel")
model1 <- as(model0, "list")

ap.1 <- armaFilter(model1, x = AirPassengers, whiten = TRUE)
ap.2 <- armaFilter(model1, x = AirPassengers, eps = ap.1, whiten = FALSE)
ap <- AirPassengers
ap[-(1:13)] <- 0 # check that the filter doesn't use x, except for initial values.
ap.2a <- armaFilter(model1, x = ap, eps = ap.1, whiten = FALSE)
ap.2a - ap.2 ## indeed = 0
```



```
##ap.3 <- xarmaFilter(model1, x = list(init = AirPassengers[1:13]), eps = ap.1, whiten = TRUE)

## now set some non-zero initial values for eps
eps1 <- numeric(length(AirPassengers))
eps1[1:13] <- rnorm(13)
ap.A <- xarmaFilter(model1, x = AirPassengers, eps = eps1, whiten = TRUE)
ap.Ainv <- xarmaFilter(model1, x = ap, eps = ap.A, whiten = FALSE)
AirPassengers - ap.Ainv # = 0

## compare with sarima.f (an old function)
## compute predictions starting at from = 14
pred1 <- sarima.f(past = AirPassengers[1:13], n = 131, ar = model1$ar, ma = model1$ma)
pred2 <- xarmaFilter(model1, x = ap, whiten = FALSE)
pred2 <- pred2[-(1:13)]
all(pred1 == pred2) ##TRUE
```

# Index

- \* **arima**
  - arma\_Q0Gardner, 14
  - arma\_Q0gnb, 15
  - prepareSimSarima, 47
  - sarima, 48
- \* **arma**
  - arma\_Q0Gardner, 14
  - arma\_Q0gnb, 15
  - armaccf\_xe, 9
  - ArmaModel, 11
- \* **classes**
  - ArmaModel-class, 13
  - InterceptSpec-class, 31
  - SarimaModel-class, 53
- \* **diagnostic plots**
  - tsdiag.Sarima, 59
- \* **diagnostics**
  - tsdiag.Sarima, 59
- \* **garch**
  - acfGarchTest, 5
  - nvarOfAcfKP, 42
  - whiteNoiseTest, 61
- \* **hplot**
  - plot-methods, 46
- \* **htest**
  - acfGarchTest, 5
  - acfIidTest, 6
  - acfMaTest, 8
  - arma\_Q0Gardner, 14
  - tsdiag.Sarima, 59
  - whiteNoiseTest, 61
- \* **methods**
  - autocorrelations-methods, 19
  - autocovariances-methods, 20
  - coerce-methods, 20
  - filterCoef-methods, 24
  - filterOrder-methods, 26
  - filterPoly-methods, 27
  - filterPolyCoef-methods, 28
  - isStationaryModel, 32
  - modelCenter, 33
  - modelCoef-methods, 35
  - modelIntercept, 37
  - modelOrder-methods, 39
  - modelPoly-methods, 39
  - modelPolyCoef-methods, 40
  - nSeasons, 40
  - nUnitRoots, 41
  - partialAutocorrelations-methods, 44
  - plot-methods, 46
  - sigmaSq, 55
- \* **package**
  - sarima-package, 3
- \* **sarima**
  - modelPoly-methods, 39
  - prepareSimSarima, 47
  - SarimaModel-class, 53
- \* **simulation**
  - prepareSimSarima, 47
  - sim\_sarima, 56
- \* **ts**
  - acfGarchTest, 5
  - acfIidTest, 6
  - acfMaTest, 8
  - armaccf\_xe, 9
  - ArmaModel, 11
  - ArmaModel-class, 13
  - autocorrelations, 17
  - filterCoef, 22
  - fun.forecast, 29
  - modelCenter, 33
  - modelCoef, 33
  - modelIntercept, 37
  - modelOrder, 37
  - nSeasons, 40
  - nUnitRoots, 41
  - nvarOfAcfKP, 42

- nvcovOfAcf, 43
- sarima, 48
- sarima-package, 3
- SarimaModel-class, 53
- sigmaSq, 55
- sim\_sarima, 56
- tsdiag.Sarima, 59
- whiteNoiseTest, 61
- xarmaFilter, 62
  
- acfGarchTest, 5, 8, 9, 62
- acfIidTest, 6, 6, 9, 62
- acfIidTest, ANY-method (acfIidTest), 6
- acfIidTest, missing-method (acfIidTest), 6
- acfIidTest, SampleAutocorrelations-method (acfIidTest), 6
- acfIidTest-methods (acfIidTest), 6
- acfMaTest, 8, 8, 62
- acfOfSquaredArmaModel (nvcovOfAcf), 43
- acfWnTest (acfGarchTest), 5
- arma, 16, 52
- arma\_Q0bis (arma\_Q0Gardner), 14
- arma\_Q0Gardner, 14
- arma\_Q0gnb, 15
- arma\_Q0gnbR (arma\_Q0Gardner), 14
- arma\_Q0naive (arma\_Q0Gardner), 14
- armaacf, 18
- armaacf (armaccf\_xe), 9
- armaccf\_xe, 9, 18
- ArmaFilter, 13
- ArmaModel, 4, 11, 12–14, 31, 55
- ArmaModel-class, 13
- ArmaSpec, 13
- ArModel, 12–14
- ArModel (ArmaModel), 11
- ArModel-class (ArmaModel-class), 13
- autocorrelations, 4, 17, 20
- autocorrelations, ANY, ANY, ANY-method (autocorrelations-methods), 19
- autocorrelations, ANY, ANY, missing-method (autocorrelations-methods), 19
- autocorrelations, Autocorrelations, ANY, missing-method (autocorrelations-methods), 19
- autocorrelations, Autocorrelations, missing, missing-method (autocorrelations-methods), 19
- autocorrelations, Autocovariances, ANY, missing-method (autocorrelations-methods), 19
- autocorrelations, PartialAutocorrelations, ANY, missing-method (autocorrelations-methods), 19
- autocorrelations, PartialAutocovariances, ANY, missing-method (autocorrelations-methods), 19
- autocorrelations, SamplePartialAutocorrelations, ANY, missing-method (autocorrelations-methods), 19
- autocorrelations, SamplePartialAutocovariances, ANY, missing-method (autocorrelations-methods), 19
- autocorrelations, VirtualArmaModel, ANY, missing-method (autocorrelations-methods), 19
- autocorrelations, VirtualSarimaModel, ANY, missing-method (autocorrelations-methods), 19
- autocorrelations-methods, 19
- autocovariances, 10
- autocovariances (autocorrelations), 17
- autocovariances, ANY, ANY-method (autocovariances-methods), 20
- autocovariances, Autocovariances, ANY-method (autocovariances-methods), 20
- autocovariances, Autocovariances, missing-method (autocovariances-methods), 20
- autocovariances, VirtualArmaModel, ANY-method (autocovariances-methods), 20
- autocovariances, VirtualAutocovariances, ANY-method (autocovariances-methods), 20
- autocovariances-methods, 20
  
- backwardPartialCoefficients (autocorrelations), 17
- backwardPartialVariances (autocorrelations), 17
  
- coerce, ANY, Autocorrelations-method (coerce-methods), 20
- coerce, ANY, ComboAutocorrelations-method (coerce-methods), 20
- coerce, ANY, ComboAutocovariances-method (coerce-methods), 20
- coerce, ANY, PartialAutocorrelations-method (coerce-methods), 20
- coerce, ANY, PartialAutocovariances-method (coerce-methods), 20
- coerce, ANY, PartialVariances-method (coerce-methods), 20
- coerceMethodSpec, list-method (coerce-methods), 20
- coerceMethodSpec, list-method (coerce-methods), 20
- coerceMethodSpec, list-method (coerce-methods), 20
- coerceMethodSpec, list-method (coerce-methods), 20

- coerce, Autocorrelations, ComboAutocovariances-method (coerce-methods), 20
- coerce, Autocorrelations, ComboAutocovariances-method (filterCoef, VirtualArmaFilter, character-method) (filterCoef-methods), 24
- coerce, Autocovariances, ComboAutocorrelations-method (coerce-methods), 20
- coerce, Autocovariances, ComboAutocorrelations-method (filterCoef, VirtualArmaFilter, missing-method) (filterCoef-methods), 24
- coerce, Autocovariances, ComboAutocovariances-method (coerce-methods), 20
- coerce, Autocovariances, ComboAutocovariances-method (filterCoef, VirtualBJFilter, character-method) (filterCoef-methods), 24
- coerce, BJFilter, SPFilter-method (coerce-methods), 20
- coerce, BJFilter, SPFilter-method (filterCoef, VirtualMonicFilterSpec, missing-method) (filterCoef-methods), 24
- coerce, numeric, BJFilter-method (coerce-methods), 20
- coerce, numeric, BJFilter-method (filterCoef, VirtualSPFilter, character-method) (filterCoef-methods), 24
- coerce, numeric, SPFilter-method (coerce-methods), 20
- coerce, numeric, SPFilter-method (filterCoef-methods), 24
- coerce, PartialVariances, Autocorrelations-method (coerce-methods), 20
- coerce, PartialVariances, Autocorrelations-method (filterOrder, SarimaFilter-method) (filterOrder-methods), 26
- coerce, PartialVariances, Autocovariances-method (coerce-methods), 20
- coerce, PartialVariances, Autocovariances-method (filterOrder, VirtualArmaFilter-method) (filterOrder-methods), 26
- coerce, PartialVariances, ComboAutocorrelations-method (coerce-methods), 20
- coerce, PartialVariances, ComboAutocorrelations-method (filterOrder, VirtualMonicFilterSpec-method) (filterOrder-methods), 26
- coerce, PartialVariances, ComboAutocovariances-method (coerce-methods), 20
- coerce, PartialVariances, ComboAutocovariances-method (filterOrder-methods), 26
- coerce, SarimaFilter, ArmaFilter-method (coerce-methods), 20
- coerce, SarimaFilter, ArmaFilter-method (filterPoly, 28)
- coerce, SarimaFilter, ArmaFilter-method (filterPoly (filterCoef), 22)
- coerce, SarimaModel, list-method (coerce-methods), 20
- coerce, SarimaModel, list-method (filterPoly, BJFilter-method) (filterPoly-methods), 27
- coerce, SPFilter, BJFilter-method (coerce-methods), 20
- coerce, SPFilter, BJFilter-method (filterPoly, SarimaFilter-method) (filterPoly-methods), 27
- coerce, vector, Autocorrelations-method (coerce-methods), 20
- coerce, vector, Autocorrelations-method (filterPoly, SPFilter-method) (filterPoly-methods), 27
- coerce, vector, Autocovariances-method (coerce-methods), 20
- coerce, vector, Autocovariances-method (filterPoly, VirtualArmaFilter-method) (filterPoly-methods), 27
- coerce, vector, PartialAutocorrelations-method (coerce-methods), 20
- coerce, vector, PartialAutocorrelations-method (filterPoly, VirtualMonicFilterSpec-method) (filterPoly-methods), 27
- coerce, vector, PartialAutocovariances-method (coerce-methods), 20
- coerce, vector, PartialAutocovariances-method (filterPoly-methods), 27
- coerce, VirtualArmaFilter, list-method (coerce-methods), 20
- coerce, VirtualArmaFilter, list-method (filterPolyCoef (filterCoef), 22)
- coerce, VirtualSarimaModel, ArmaModel-method (coerce-methods), 20
- coerce, VirtualSarimaModel, ArmaModel-method (filterPolyCoef, BJFilter-method) (filterPolyCoef-methods), 28
- coerce, VirtualSarimaModel, ArmaModel-method (filterPolyCoef, SarimaFilter-method) (filterPolyCoef-methods), 28
- coerce, VirtualSarimaModel, ArmaModel-method (filterPolyCoef, SPFilter-method) (filterPolyCoef-methods), 28
- coerce, VirtualSarimaModel, ArmaModel-method (filterPolyCoef, VirtualArmaFilter-method) (filterPolyCoef-methods), 28
- coerce, VirtualSarimaModel, ArmaModel-method (filterPolyCoef, VirtualBJFilter-method) (filterPolyCoef-methods), 28
- coerce, VirtualSarimaModel, ArmaModel-method (filterPolyCoef, VirtualSPFilter-method) (filterPolyCoef-methods), 28
- coerce, VirtualSarimaModel, ArmaModel-method (filterPolyCoef-methods), 28
- coerce-methods, 20
- fun. forecast, 29
- InterceptSpec-class, 31
- filterCoef, 22, 26–28
- filterCoef, BJFilter, character-method (filterCoef-methods), 24
- filterCoef, SarimaFilter, character-method (filterCoef-methods), 24
- filterCoef, SarimaFilter, missing-method (filterCoef-methods), 24
- filterCoef, SPFilter, character-method (filterCoef-methods), 24

- isStationaryModel, [32](#)
- isStationaryModel, SarimaSpec-method
  - (isStationaryModel), [32](#)
- isStationaryModel, VirtualIntegratedModel-method
  - (isStationaryModel), [32](#)
- isStationaryModel, VirtualStationaryModel-method
  - (isStationaryModel), [32](#)
- isStationaryModel-methods
  - (isStationaryModel), [32](#)
- layout, [60](#)
- makeARIMA, [16](#)
- MaModel, [12–14](#)
- MaModel (ArmaModel), [11](#)
- MaModel-class (ArmaModel-class), [13](#)
- modelCenter, [33](#)
- modelCenter, InterceptSpec-method
  - (modelCenter), [33](#)
- modelCenter-methods (modelCenter), [33](#)
- modelCoef, [23, 33, 38](#)
- modelCoef, ArmaModel, ArmaFilter, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, Autocorrelations, ComboAutocorrelations, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, Autocorrelations, PartialAutocorrelations, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, Autocovariances, Autocorrelations, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, Autocovariances, ComboAutocorrelations, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, Autocovariances, ComboAutocovariances, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, Autocovariances, PartialAutocorrelations, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, ComboAutocorrelations, Autocorrelations, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, ComboAutocorrelations, PartialAutocorrelations, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, ComboAutocovariances, Autocovariances, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, ComboAutocovariances, PartialAutocovariances, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, ComboAutocovariances, PartialVariances, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, ComboAutocovariances, VirtualAutocovariances, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, PartialAutocorrelations, Autocorrelations, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, PartialAutocovariances, PartialAutocorrelations, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, SarimaModel, ArFilter, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, SarimaModel, ArmaFilter, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, SarimaModel, ArModel, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, SarimaModel, MaFilter, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, SarimaModel, MaModel, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, SarimaModel, SarimaFilter, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, VirtualAutocovariances, Autocovariances, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, VirtualAutocovariances, character, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, VirtualAutocovariances, missing, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, VirtualAutocovariances, VirtualAutocovariances, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, VirtualFilterModel, BD, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, VirtualFilterModel, BJ, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, VirtualFilterModel, character, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, VirtualFilterModel, missing, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef, VirtualFilterModel, SP, missing-method
  - (modelCoef-methods), [35](#)
- modelCoef-methods, [35](#)
- modelIntercept, [37](#)
- modelIntercept, InterceptSpec-method
  - (modelIntercept), [37](#)
- modelIntercept-methods
  - (modelIntercept), [37](#)
- modelOrder, [23, 34, 37](#)
- modelOrder, ArmaModel, ArFilter-method
  - (modelOrder-methods), [39](#)
- modelOrder, ArmaModel, MaFilter-method
  - (modelOrder-methods), [39](#)
- modelOrder, SarimaModel, ArFilter-method
  - (modelOrder-methods), [39](#)
- modelOrder, SarimaModel, ArmaFilter-method
  - (modelOrder-methods), [39](#)
- modelOrder, SarimaModel, ArmaModel-method
  - (modelOrder-methods), [39](#)

- (modelOrder-methods), 39
- modelOrder, SarimaModel, ArModel-method (modelOrder-methods), 39
- modelOrder, SarimaModel, MaFilter-method (modelOrder-methods), 39
- modelOrder, SarimaModel, MaModel-method (modelOrder-methods), 39
- modelOrder, VirtualFilterModel, character-method (modelOrder-methods), 39
- modelOrder, VirtualFilterModel, missing-method (modelOrder-methods), 39
- modelOrder-methods, 39
- modelPoly, 23, 34
- modelPoly (modelOrder), 37
- modelPoly, SarimaModel, ArmaFilter-method (modelPoly-methods), 39
- modelPoly, VirtualFilterModel, character-method (modelPoly-methods), 39
- modelPoly, VirtualMonicFilter, missing-method (modelPoly-methods), 39
- modelPoly-methods, 39
- modelPolyCoef, 23, 34
- modelPolyCoef (modelOrder), 37
- modelPolyCoef, SarimaModel, ArmaFilter-method (modelPolyCoef-methods), 40
- modelPolyCoef, VirtualFilterModel, character-method (modelPolyCoef-methods), 40
- modelPolyCoef, VirtualMonicFilter, missing-method (modelPolyCoef-methods), 40
- modelPolyCoef-methods, 40
- nSeasons, 40
- nSeasons, SarimaFilter-method (nSeasons), 40
- nSeasons, VirtualArmaFilter-method (nSeasons), 40
- nSeasons-methods (nSeasons), 40
- nUnitRoots, 32, 41
- nUnitRoots, SarimaSpec-method (nUnitRoots), 41
- nUnitRoots, VirtualStationaryModel-method (nUnitRoots), 41
- nUnitRoots-methods (nUnitRoots), 41
- nvarOfAcfKP, 5, 42
- nvcovOfAcf, 43
- nvcovOfAcfBD (nvcovOfAcf), 43
- partialAutocorrelations (autocorrelations), 17
- partialAutocorrelations, ANY, ANY, ANY-method (partialAutocorrelations-methods), 44
- partialAutocorrelations, mts, ANY, missing-method (partialAutocorrelations-methods), 44
- partialAutocorrelations, PartialAutocovariances, ANY, missing-method (partialAutocorrelations-methods), 44
- partialAutocorrelations, ts, ANY, missing-method (partialAutocorrelations-methods), 44
- partialAutocorrelations-methods, 44
- partialAutocovariances (autocorrelations), 17
- partialCoefficients (autocorrelations), 17
- partialVariances (autocorrelations), 17
- periodogram, 45
- plot, SampleAutocorrelations, matrix-method (plot-methods), 46
- plot, SampleAutocorrelations, missing-method (plot-methods), 46
- plot, SamplePartialAutocorrelations, missing-method (plot-methods), 46
- plot-methods, 46
- prepareSimSarima, 47, 57
- print.simSarimaFun (prepareSimSarima), 47
- sarima, 48
- sarima-package, 3
- SarimaFilter, 53
- SarimaModel, 31
- SarimaModel-class, 53
- SarimaSpec, 53
- setAs (coerce-methods), 20
- sigmaSq, 55
- sigmaSq, InterceptSpec-method (sigmaSq), 55
- sigmaSq-methods (sigmaSq), 55
- sim\_sarima, 48, 56
- summary.SarimaFilter (summary.SarimaModel), 58
- summary.SarimaModel, 58
- summary.SarimaSpec (summary.SarimaModel), 58
- tsdiag, 60

tsdiag (tsdiag.Sarima), [59](#)  
tsdiag.Sarima, [59](#)

VirtualArmaFilter, [13](#)  
VirtualArmaModel, [13](#)  
VirtualAutocovarianceModel, [13](#)  
VirtualCascadeFilter, [53](#)  
VirtualFilterModel, [13](#), [53](#)  
VirtualMeanModel, [13](#)  
VirtualMonicFilter, [13](#), [53](#)  
VirtualSarimaFilter, [53](#)  
VirtualStationaryModel, [13](#)

whiteNoiseTest, [6](#), [8](#), [9](#), [42](#), [44](#), [61](#)

xarmaFilter, [62](#)